

TUFF-KOTE DINOL INC. -- AEROSOL SEALANT 818 -- 8030-01-134-6513

=====
Product Identification
=====

Product ID:AEROSOL SEALANT 818

MSDS Date:01/01/1987

FSC:8030

NIIN:01-134-6513

MSDS Number: BGNJT

=== Responsible Party ===

Company Name:TUFF-KOTE DINOL INC.

Emergency Phone Num:313-776-3040

CAGE:60833

=== Contractor Identification ===

Company Name:TUFF-KOTE DINOL INC

Address:25200 MALVINA

Box:1065

C

City:WARREN

State:MI

ZIP:48090

Country:US

CAGE:60833

=====
Composition/Information on Ingredients
=====

Ingredient Name:ALIPHATIC SOLVENT

=====
Hazards Identification
=====

Effects of Overexposure:CAUTION!PRODUCT-PRIMARY SKIN

IRRITANT.PROLNG/REPEAT CONTACT W/SKIN MAY CAUSE IRRIT OR
DERMATITIS.(SUP)

=====
First Aid Measures
=====

First Aid:IN CASE OF SKIN CONTACT:WASH THOROUGHLY W/SOAP & WATER.INCASE

OF EYE CONTACT:FLUSH THOROUGHLY WITH WATER.IN CASE OF
DIZZ,RESPIRATORY IRRIT,ETC:REMOVE TO FRESH AIR,CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:100F PMCC 38C

Extinguishing Media:CO*2 DRY CHEMICAL, FOAM

Fire Fighting Procedures:CO*2 DRY CHEMICAL FOAM

Unusual Fire/Explosion Hazard:"CAUTION!" "COMBUSTIBLE!" AVOID EXCESSIVE
HEAT, SPARKS OR OPEN FLAME!

=====
Accidental Release Measures
=====

Spill Release

se Procedures:HANDLE AS AN OIL SPILL. AVOID BREATHING VAPS
OR MISTS- USE ADEQUATE VENTILATION. ABSORB LIQUID ON VERMICULITE,
FLOOR ABSORBENT. PREVENT RUNOFF TO SEWERS, STREAMS.

===== Handling and Storage =====

Handling and Storage Precautions:"CAUTION!"COMBUSTIBLE!STORE AT AMBIENT
TEMPS(KEEP CIRCULATING).STORE IN COOL, DRY AREA IN TIGHTLY CLOSED
CONTNRS.USE ADEQ VENTIL-AVD BREATH VAP OR MIST

Other Precautions:AVD EXCESSV HEAT, SPARKS OR OPN FLA
MES.NORMAL

HYGIENIC & SAFETY PRECAUTIONS SHOULD BE OBSERVED WHEN HANDLING
CHEMICALS.AVD CONTCT W/EYES,SKN & CLOTHING.WASH THORO W/SOAP/WATR
AFT HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MESA APPRVD MASK FOR SOLVENT VAPORS.

Ventilation:LOCAL EXHAUST & MECHANICAL

Protective Gloves:PLAST/RUBBR REC

Eye Protection:SAFETY GLASSES RECOMMENDE

Other Protective Equipment:ABOV PROTECTV DEVICES RECOM.TO CONFORM
W/RECOG HYGIEN

C PRACT

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:350F SOLVN

Vapor Density:4.0

Spec Gravity:0.97

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK, SLIGHTLY VISCOUS FLUID-SOLVNT TYPE ODOR

Percent Volatiles by Volume:42

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:AVOID TEMP GREATR THA

N 37.8C

Hazardous Decomposition Products: THERMAL DECOMP. OR BURN MAY PROD
OXIDES OF CARBON, CALCIUM)SU

===== Disposal Considerations =====

Waste Disposal Methods: ABSORB SPILL ON AN INERT ABSORBENT & DISPOSE AS
FOLLOWS: CHEM WASTE DISPOSAL IS GOVERNED BY THE RESOURCE
CONSERVATION & RECOVERY ACT AS WELL AS BY OTHER LOCAL, STATE &
FEDERAL LAWS & REGULATION.

Disclaimer (provided with this information by the compiling agencies):

This information is
formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.