

MOBIL OIL CORPORATION -- AVREX S TURBO 260 -- 9150-01-144-3803

===== Product Identification =====

Product ID:AVREX S TURBO 260

MSDS Date:03/19/1988

FSC:9150

NIIN:01-144-3803

MSDS Number: BGNSY

=== Responsible Party ===

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037

Info Phone Num:703-849-3265 (SHIRLEY CASTILLO)

Emergency Phone Num:212-883-4411

CAGE:1G112

=== Contractor Identification ===

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037-0001

Phone:(703) 846-1482

CAGE:1G112

===== Composition/Information on Ingredients =====

Ingred Name:SYNTHETIC OILS

Fraction by Wt: 90%

OSHA PEL:5MG/M*3(OIL MIST)

ACGIH TL

V:5MG/M*3(OIL MIST)

Ingred Name:ADDITIVES AND OTHER INGREDIENTS

Fraction by Wt: 10%

Ingred Name:ANILINE (SARA III)

CAS:62-53-3

RTECS #:BW6650000

Fraction by Wt: 0.0001%

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 2 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:LD50 ORAL RAT=15G/KG

Routes of Entry: Inhalation:NO Skin:UNKNOWN Ingestion:NO

Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF
OVEREXPOSURE

Effects of Overexposure:SLIGHT SKIN IRRITATION.

Medical Cond Aggravated by Exposure:NONE NOTED

=====
===== First Aid Measures =====
=====

First Aid:EYES:FLUSH WITH WATER. SKIN:WASH WITH SOAP AND WATER.

INHALATION:NOT EXPECTED TO BE A PROBLEM. INGESTION:NOT EXPECTED TO
BE A PROBLEM WHEN INGESTED. IF UNCOMFORTABLE SEEK MEDICAL
ASSISTANCE.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:PMCC

Flash Point:455F(235C)

L

Lower Limits:0.6

Upper Limits:7.0

Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.

Fire Fighting Procedures:WEAR SCBA IN ENCLOSED AREAS. USE WATER TO KEEP
FIRE EXPOSED CONTAINERS COOL. USE WATER SPRAY TO FLUSH SPILLS.
PREVENT RUNOFF FROM ENTERING STREAMS,DRINKING WTR.

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:ABSORB IN INERT MATERIAL. SHOVEL UP AND PLACE
IN APPROPRIATE DI

SPOSAL CONTAINER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED
Other Precautions:NONE NOTED BY MFR.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED
Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.
Protective Gloves:AS REQUIRED
Eye Protection:AS REQUIRED
Other Protective Equipment:NONE
Work Hygienic Practices:WASH AFTER HANDLING. REMOVE CONTAMINATED CLOTHING
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:600F(316C)
Vapor Pres:0.1
Spec Gravity:1
Viscosity:27.8 CS @100F
Solubility in Water:NEGLIGIBLE
Appearance and Odor:AMBER LIQUID,MILD ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:EXTREME HEAT.
Hazardous Decomposition Products:CARBON MONOXIDE/CARBON DIOXIDE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT IS SUITABLE FOR BURNING IN ENCLOSED CONTROLLED BURNER OR DISPOSAL BY SUPERVISED INCINERATION. PRODUCT IS SUITABLE FOR REPROCESSING IN APPROVED RECYCLING FACILITY. BURNING MAY BE LIMITED BY RCR A. COMPLY WITH FEDERAL, STATE AND LOCAL REGULATIONS

TIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.