

EASTMAN KODAK COMPANY -- 190 1149 MICROFILM FIXER AND REPLENISHER -- 6750-01-145-7831

=====
Product Identification
=====

Product ID:190 1149 MICROFILM FIXER AND REPLENISHER

MSDS Date:07/01/1992

FSC:6750

NIIN:01-145-7831

MSDS Number: BGNWB

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Em

ergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:FULLER AND D ALBERT INC

Address:3170 CAMELL

Box:2706

City:FAIRFAX

State:VA

ZIP:22031-2302

Country:US

Phone:703-591-8000

CAGE:82960

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18

-5
RTECS #:ZC0110000
Fraction by Wt: 40-50%
Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM THIOSULFATE
CAS:7783-18-8
RTECS #:XN6465000
Fraction by Wt: 40-45%
Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM ACETATE
CAS:126-96-5
RTECS #:AJ4375000
Fraction by Wt: 5-10%
Other REC Limits:NONE SPECIFIED

Ingred Name:ACETIC ACID (SARA III)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 1-5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT
Rpt Qty:5000 LBS

Ingred Name:SODIUM METABISULFITE
CAS:7681-57-4
RTECS #:UX8225000
Fraction by Wt: 1-5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9192

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: LOW HAZARD FOR RECOMMENDED
HANDLING. EYES: NO SPECIFIC HAZARD KNOWN TO MANUFACTURER. HOWEVER,

ANY MATERIAL THAT CONTACTS THE EYE MAY BE IRRITATING. SKIN: LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION: EXPECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure: EYES: REDNESS, TEARING, DISCOMFORT.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====
=====

First Aid: EYES: ANY MATERIAL THAT CONTACTS THE EYE SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH AFTER EACH CONTACT. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====
=====

Flash Point: NONE

Autoignition Temp: Autoignition Temp Text: NONE

Extinguishing Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures: ABSORB SPILL IN INERT MATERIAL ; PLACE IN CHEMICAL WASTE CONTAINER. PREVENT RUNOFF FROM ENTERING DRAINS, SEWERS, AND STREAMS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED AND AWAY FROM INCOMPATIBLES.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====
=====

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. IN POORLY VENTILATED AREAS LOCAL EXHAUST VENTILATION MAY BE NEEDED.

Protective Gloves: IMPERV

IOUS GLOVES

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS

Other Protective Equipment:EYE WASH AVAILABLE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:C3

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:18

Vapor Density:0.6

Spec Gravity:1.316

pH:5.3

Solubility in Water:COMPLETE

Appearance a

nd Odor:CLEAR, SLIGHTLY YELLOW SOLUTION; SLIGHT ACID ODOR.

Percent Volatiles by Volume:45

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALI, STRONG MINERAL ACIDS

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE AMMONIA, OXIDES OF NITROGEN AND OXIDES OF SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to

their
particular situation.