View NSN Online: https://aerobasegroup.de/nsn/6850-01-162-2424

Product ID:ASTROMAT A MSDS Date:11/15/1988 FSC:6850 NIIN:01-162-2424 MSDS Number: BGPLQ === Responsible Party === Company Name:ELDORADO CHEMICAL CO. INC. Address:14350 LOOKOUT ROAD Box:34837 City:SAN ANTONIO State:TX ZIP:78265 Emergency Phone Num:512-653-2060 CAGE:55208 === Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC. Address:14350 LOOKOUT ROAD Box:34837 City:SAN ANTONIO State:TX ZIP:78265-4837 Country:US Phone:800-531-1088/ 210-653-2060 CAGE:55208

Ingred Name:AMMONIA (SARA III) CAS:7664-41-7 RTECS #:BO0875000 Fraction by Wt: 1% OSHA PEL:50 PPM ACGIH TLV:25 PPM/35 STEL; 9293 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:2-BUTOXYETHANOL CAS:111-76-2 RTECS #:KJ8575000 Fraction by Wt: 5% O SHA PEL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9293

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MILD IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE BURNS. Effects of Overexposure: INHALATION: DIZZINESS, NAUSEA; EYE/SKIN: IRRITATING. First Aid:INHALED:REMOVE TO FRESH AIR. GIVE CPR OR OXYGEN IF NEED (CAUTION:CPR MAY EXPOSE RESCUER)EYES/SKIN: FLUSH W.WATER 15 MIN. REMOVE CONTAMINATED CLOTHES.KEEP WARM/QUIET. GET MEDICAL ATTENTION Extinguishing Media: EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR SELF-CNTND BRTHG APP Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER. Spill R elease Procedures: RINSE WITH WATER. Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED, LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING Other Precautions:NONE

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT. Protective Gloves:RUBBER Eye Protection:FULLFACE SHIELD Other Protective Equipment:RUBBER APRONS & BOOTS. Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:215F/102 Vapor Pres:20 Vapor Density:1 Spec Gravity:1.0 Evaporation Rate & amp; Reference:1(WATER=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR,THIN LIQUID-AMMONIA ODOR. Percent Volatiles by Volume:80

====== S

Stability Indicator/Materials to Avoid:YES AVOID OXIDIZERS,REACTIVE METALS Stability Condition to Avoid:NONE Hazardous Decomposition Products:NH*3,CO*2,CO:Hazardous Polymerization Indicator:NO

Waste Disposal Methods:NOT A HAZARDOUS WASTE. FOLLOW FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information i

s formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.