View NSN Online: https://aerobasegroup.de/nsn/6850-01-165-5409

Product ID:6R301;DRY INK/TONER MSDS Date:04/10/1990 FSC:6850 NIIN:01-165-5409 **MSDS Number: BGPND** === Responsible Party === **Company Name:XEROX CORPORATION** Address:100 CLINTON AVE SOUTH Box:1540 City:ROCHESTER State:NY ZIP:14644-1877 Country:US Info Phone Num:800-828-6571 Emergency Phone Num:716-422-2177 Preparer's Name:MSDS# A-0023 CAGE:26921 === Contractor Identification === Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921 

Ingred Name:STYRENE ACRYLATE COPOLYMER CAS:25213-39-2 Fraction by Wt: >90%

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 5-10% OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 91

92
Ingred Name:QUATERNARY AMMONIUM SALT (TRADE SECRET) Fraction by Wt: 10G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS PRACTICALLY NON-TOXIC,NON-SENSITIZING,MINIMALLY IRRITATING,NON-MUTAGENIC. Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA. Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MA Y OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST. Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.
====================================
======================================
Flash Point:NONE Extinguishing Media:WATER,FOAM,DRY CHEMICAL,CARBON DIOXIDE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.AVOID INHALATION OF SMOKE. Unusual Fire/Explosion Hazard:THIS POWDER CAN FORM EXPLOSIVE MIXTURES WITH AIR.
======================================
Spill Release Procedures:VACUUM OR SWEEP UP SPILLED TONER AND TRANSFER TO A SEALABLE CONTAINER FOR DISPOSAL.SWEEP SLOWLY TO AVOID DUSTING,OR USE A VACU UM WITH A MOTOR RATED FOR DUST.THE HOSE ON THE VACUUM SHOULD BE BONDED TO AVOID STATIC.WASH AREA W/SOAP AND

Handling and Storage Precautions: AVOID INHALING DUST. Other Precautions: NONE.

WATER.

Neutralizing Agent:NONE

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE. Ventilation:NORMAL ROOM VENTILATION. (LOCAL EXHAUST IF HANDLING PRODUCT IN BUL K.)
Protective Gloves:NONE NORMALLY REQUIRED.
Eye Protection:NOT NEEDED IN NORMAL SERVICE.
Other Protective Equipment:GOGGLES & RESPIRATORS MAY BE REQD IN BULK PROCESS FACILITIES
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.USE REASONABLE CARE.
Supplemental Safety and Health NONE.

## HCC:N1

Spec Gravity: 1 Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK POWDER,FAINT ODOR

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:DUST+SOURCES OF IGNITION. Hazardous Decomposition Products:PRODUCTS OF COMBUSTION MAY BE TOXIC.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.INCINERATE ONLY IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This informat

ion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.