

CORAL CHEMICAL CO. -- AC 15;CLEANING COMPOUND -- 6850-01-184-7453

=====  
Product Identification  
=====

Product ID:AC 15;CLEANING COMPOUND

MSDS Date:05/01/1986

FSC:6850

NIIN:01-184-7453

MSDS Number: BGPZY

=== Responsible Party ===

Company Name:CORAL CHEMICAL CO.

Address:135 LE BARON STREET

City:WAUKEGAN

State:IL

ZIP:60085-3026

Country:US

Info Phone Num:312-338-8100

Emergency Phone Num:312-338-8100

P

reparer's Name:GL TUPPER,TECH DIRECTOR

CAGE:8C661

=== Contractor Identification ===

Company Name:CORAL CHEMICAL CO

Address:7200 CORAL LANE

City:PARAMOUNT

State:CA

ZIP:90723-3909

Country:US

Phone:310-531-6363

CAGE:8C661

Company Name:CORAL INTERNATIONAL CHEMICAL COMPANY

Address:135 LE BARON STREET

City:WAUKEGAN

State:IL

ZIP:60085-3026

Country:US

Phone:800-228-4646

CAGE:57042

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ85

75000  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:OTHER COMPONENTS (NOT SPECIFIED)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:ACUTE:SKIN IRRITATION; EYES BURNING  
SENSATION,SEVERE IRRITATION; BREATHING WILL CAUSE  
COUGHING,IRRITATION OF NOSE & THROAT. CHRONIC:IRRITATION,KIDNEY  
DAMAGE.

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravate  
d by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN

===== First Aid Measures =====

First Aid:SKIN:FLUSH WITH PLENTY OF WATER;USE CREAM. EYES:FLUSH WITH  
PLENTY OF WATER,SEEK MEDICAL ATTENTION. INHALATION:REMOVE TO FRESH  
AIR.SEEK MEDICAL HELP IF NEEDED.

===== Fire Fighting Measures =====

Autoignition Temp:Autoignition Temp Text:NONE  
Extinguishing Media:USE PROPER MEDIA FOR SURROUNDING FIRES.  
Fire Fighting Proce  
dures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED  
AREA.  
Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.CONTAIN FREE  
LIQUID;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER  
DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL & DRY LOCATION;KEEP  
CONTAINER TIGHTLY CLOSED WHEN N

OT IN USE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE TLV/PEL.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES OR FACE SHIELD

Other Protective Equipment:EYE-PROTECTION,EYE-WASH,APRON,SAFETY SHOWER,PROTECTIVE CLOTHING

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST.WASH THOR

OUGHLY AFTER EACH USE.

Supplemental Safety and Health

THIS NSN REPLACES NSN 6850-00-935-0996

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>212F/100C

Vapor Pres:AS OF WATR

Vapor Density:AS OF WATR

Spec Gravity:1.06

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR,BROWN LIQUID,BLAND ODOR

Percent Volatiles by Volume:>60.0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG

ACIDS,STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXTREME HEAT

Hazardous Decomposition Products:CO\*2,CO,OXIDES OF NITROGEN

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of Americ

a in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.