View NSN Online: https://aerobasegroup.de/nsn/6850-01-193-9837

Product ID:ALKALUME DIOXIDANT DSF

MSDS Date:03/19/1986

FSC:6850

NIIN:01-193-9837

MSDS Number: BGQGW === Responsible Party ===

Company Name: MCGEAN-ROHCO, INC. Address: 38521 SCHOOLCRAFT AVENUE

City:LIVONIA State:MI ZIP:48150 Country:US

Info Phone Num:313-872-1800

Emergency Phone Num: (313) 872-1800

Prepa

rer's Name:M. ARTHUR DETRISAC

CAGE:EO051

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC Address:38521 SCHOOLCRAFT AVE

Box:City:LIVONIA

State:MI

ZIP:48150-1031

Country:US

Phone:216-441-4900;734-464-2330

CAGE:5K793

Company Name: MCGEAN-ROHCO, INC.

Address:9520 E CEE BEE DR

Box:NONE City:DOWNEY State:CA

ZIP:90241-5501 Country:US

Phone:213-803-4311

CAGE:EO051

====== Composition/Information on Ingredients ========

Ingred Name: DISODIUM SILICO FLUORIDE

CAS:16893-85-9

RTEC

S #:VV8410000 Fraction by Wt: 03.1% OSHA PEL:2.5 MG/M3 (F) ACGIH TLV:2.5 MG/M3 (F); 8990 Ingred Name: CHROMIC ACID (SARA III) CAS:7738-94-5 RTECS #:GB2450000 Fraction by Wt: 06.0% OSHA PEL:0.1 MG CRO3/M3;CEILG ACGIH TLV:0.05 MG/M3 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES Health Hazards Acute and Chronic:ACUTE:PRIMARY SKIN AND EYE IRRITANT. CHRONIC:NO DATA AVAILAB LE (MIXTURE). Explanation of Carcinogenicity: CHROMIC ACID MAY CONTAIN CHROMIUM(VI) AS CR, A HUMAN CARCINOGEN. Effects of Overexposure: SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure: NO DATA AVAILABLE (MIXTURE) First Aid:EYES/SKIN:FLUSH WITH PLENTY OF WATER FOR ATLEAST 15 MINUTES.COVER SKIN WITH MAGNESIUM OXIDE & GLYCERINE.IF IRRIT PERSISTS GET MED ASSISTANCE IMMEDIATELY; INGEST: GIVE A GLASS OF K OR LIME WATER.GET MED ATTN IMMEDIATELY; FOR BREATHING GET MED ATTN. Flash Point:NONE Extinguishing Media: EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures: WEAR SELF-CNTD BRTHG, APP H*20 SPRAY TO COOL CONTR. Unusual Fire/Explosion Hazard: NONE NOTED BY MANUFACTURER.

======== Accidental Release Measures ===========

Spill Release Procedures: USE PROTECTIVE EQUIP. SWEEP UP DRY

SHOVEL UP INTO DISPOSAL CONTAINER. SOLUTIONS SHOULD BE NEUTRALIZED WITH SLAKED LIME SLURRY OR CAUSTIC. PRECIPITATE HEAVY METALS BEFORE DISCHARGING. =========== Handling and Storage ============================ Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA, PROTECT FROM PHYSICAL DAMAGE, AVOID ANY PHYSICAL CONTACT, KEEP CONTAINERS TIGHTLY CLOSED Other Precautions: AVOID BREATHING DUST. ====== Exposure Controls/Personal Protection ========== Respiratory Protection: USE DUST MASK FOR DUST Ventilation:LOCAL EXHAUST Protective Gloves: NEOPRENE Eye Protection: GOGGLES Other Protective Equipment: NORMAL WORK CLOTHING COVERING ARMS & LEGS. Supplemental Safety and Health MSDS FROM MCGEAN-ROHCO DATE 3/19/86 (REVISED. ========= Physical/Chemical Properties =========== HCC:C1 Solubility in Water: COMPLETE Appearance and Odor: TAN COLORED POWDER ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid: MOIST CONDITIONS. Hazardous Decomposition Products: MAY EMIT OXIDES OF CHROMIUM, & FLUORINE IN COMBUSTION ======= Disposal Considerations ============

Waste Disposal Methods:NEUTRALIZE SOLUTION IF IN LIQUID FORM WITH SLAKED LIME SLURRY OR CAUSTIC. DISCHARGE NEUTRALIZED WASTE I/A/W FED, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the c

MATL &

ompiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.