

CHRYSLER CORP CHEMICAL DIV -- MOPAR POWER STEERING FLUID 55605 -- 9150-01-200-8008

=====  
Product Identification  
=====

Product ID:MOPAR POWER STEERING FLUID 55605

MSDS Date:10/24/1990

FSC:9150

NIIN:01-200-8008

MSDS Number: BGQLJ

=== Responsible Party ===

Company Name:CHRYSLER CORP CHEMICAL DIV

Address:5437 W JEFFERSON

City:TRENTON

State:MI

ZIP:48183-4711

Country:US

Info Phone Num:313-671-4034

Emer

gency Phone Num:313-671-4034

Preparer's Name:W.D. WATT

CAGE:02142

=== Contractor Identification ===

Company Name:ADVANCED INDUSTRIES INC

Address:415 NORTHCUTT STREET

Box:5666

City:LONGVIEW

State:TX

ZIP:75608

Country:US

Phone:214-236-4101

CAGE:0GA21

Company Name:CARLIN DODGE INC

Box:UNKNOW

CAGE:0H137

Company Name:CHRYSLER CORP CHEMICAL DIV

Address:5437 W JEFFERSON

Box:City:TRENTON

State:MI

ZIP:48183-4711

Country:US

Phone:313-671-4034

CAGE:02142

Company Name:COLONIAL TRUCK SALES INC

Address:1833 C

OMMERCE RD  
Box:City:RICHMOND  
State:VA  
ZIP:23224-7801  
Country:US  
Phone:804-232-3492  
CAGE:5A850  
Company Name:D AND D PACKAGING CO INC  
Address:2701 VALLEY STREET  
Box:City:DAYTON  
State:OH  
ZIP:45404  
Country:US  
Phone:513-233-8585  
CAGE:6U169

=====  
===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES, HYDROTREATED HEAVY PARAFFINIC  
CAS:64742-54-7  
RTECS #:PY8035500  
Fraction by Wt: 60-100%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:300 PPM  
ACGIH TLV:300 PPM

Ingred Name:RE  
SIDUAL OILS, HYDROTREATED  
CAS:64742-57-0  
Fraction by Wt: 10-30%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:FATTY AMINES

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE EFFECTS:EYE AND RESPIRATORY  
TRACT IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC  
EFFECTS

:PROLONGED SKIN CONTACT MAY PRODUCE OIL ACNE, FOLLICULITIS, AND DERMATITIS.

Effects of Overexposure:EYES:IRRITATION AND TEARING. SKIN:OIL ACNE, FOLLICULITIS, DERMATITIS. INHALATION:IRRITATION OF UPPER RESPIRATORY TRACT, DIZZINESS, NAUSEA. INGESTION:HARMFUL IF SWALLOWED.VOMITING MAY PRODUCE CHEMICAL PNEUMONITIS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.SEE DOCTOR.

SKIN:REMOVE CONTAMINATED CLOTHING AND SHOES. WASH WITH SOAP AND WATER.SEE DOCTOR. INHALATION: REMOVE VICTIM TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR. INGESTION:DO NOT INDUCE VOMIT.SEE DOCTOR.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:390F/199C

Autoignition Temp:Autoignition Temp Text:UNKNON

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, DRY CHEMICAL B.

Fire Fighti

ng Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. VENTILATE AREA. WEAR PROPER PROTECTIVE EQUIPMENT. ABSORB IN INERT ABSORBENT AND PLACE INTO APPROPRIATE DISPOSAL CONTAINER AND SEAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED PLACE,AWAY FROM HEAT,IGNITION SOURCES AND INCOMPATIBLE MATERIALS.KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:AVOID BREATHING VAPORS, AND EYE AND SKIN CONTACT. USE ONLY WITH ADEQUATE VENTILATION. DO NOT TAKE INTERNALLY. DO NOT SMOKE OR EAT WHEN HANDLING THIS PRODUCT.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED. NIOSH/MSHA RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE APPROPRIATE FOR EXPOSURE OF CONCERN OR SCBA IF TLV IS EXCEEDED.

Ventilation:SUFFICIENT MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED SKIN CONTACT. EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES & SKIN.DO NOT BREATHE VAPORS.WASH THOROUGHLY AFTER HANDLING.LAUNDER CONTAMINATED CLOTHING.

Supplemental Safety and Health

THESE PRECAUTIONS ARE FOR ROOM TEMPERATURE HANDLING. USE AT ELEVATED TEMPERATURES MAY REQUIRE ADDED PRECAUTIONS.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.874

Solubility in Water:NEGLIGIBLE < 0.1%

Appearance and Odor:LIGHT BROWN OIL,SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:CO,NITROGEN OXIDES & UNIDENTIFIED ORGANIC COMPOUND

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

sclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.