

CHEVRON ENVIRONMENTAL HEALTH CENTER -- FLO-COOL 180 -- 9160-01-244-6808

=====  
Product Identification  
=====

Product ID:FLO-COOL 180

MSDS Date:01/08/1985

FSC:9160

NIIN:01-244-6808

MSDS Number: BGRGH

=== Responsible Party ===

Company Name:CHEVRON ENVIRONMENTAL HEALTH CENTER

Address:15299 SAN PABLO AVE

Box:4054

City:RICHMOND

State:CA

ZIP:94804-0054

Info Phone Num:415-233-3737

Emergency Phone Num:415-

233-3737

CAGE:0AHD1

=== Contractor Identification ===

Company Name:CHEVRON ENVIRONMENTAL HEALTH CENTER INC

Address:15299 SAN PABLO AVE

Box:4054

City:RICHMOND

State:CA

ZIP:94804

Country:US

Phone:800-582-3835

CAGE:0AHD1

Company Name:CHEVRON PRODUCTS CO GLOBAL LUBRICANTS

Address:555 MARKET STREET ROOM 803

Box:City:SAN FRANCISCO

State:CA

ZIP:94105-2870

Country:US

Phone:800-228-3500/415-894-0703

CAGE:2H740

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ORGANOSILICA

TE ESTER

Ingred Name:OXIDATION INHIBITOR

===== Hazards Identification =====

LD50 LC50 Mixture:NONE ESTABLISHED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO EYES,SKIN,  
RESPIRATORY TRACT. IT IS NOT EXPECTED TO BE HARMFUL. LD50 OF A  
SIMILAR MATERIAL IS 15 9M/KG.

Effects of Overexposure:EYE/SKIN:MINOR IRRITATION. INHALED:INHALING OF  
MIST;RESPIRATORY IRRITATION. INGESTED:NOT EXPECTED TO  
BE TOXIC.

Medical Cond Aggravated by Exposure:NONE REPORTED.

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER. SKIN:WASH WITH SOAP & WATER.

INHALED:REMOVE TO FRESH AIR. INGESTED:GIVE LARGE QUANTITIES OF MILK  
OR WATER.GET MEDICAL ATTENTION. INDUCE VOMITING ONLY ON PHYSICIANS  
ADVICE.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:350F/177C

Extinguishing Media:CARBON DIOXIDE,D  
RY CHEMICAL,FOAM,WATER FOG.

Fire Fighting Procedures:WEAR FULL PROTECTIVE GEAR INCLUDING SELF  
CONTAINED BREATHING APPARATUS, ESPECIALLY IF FIGHTING FIRE IN  
ENCLOSED AREA. READ FULL MSDS BEFORE PROCEEDING.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL AND ABSORB ON INERT MATERIAL.  
PREVENT CONTAMINATION OF SURFACE OR GROUND WATER. STORE IN COVERED  
CONTAINERS FOR DISPOSAL.

Neutralizing A

gent:NONE

=====  
===== Handling and Storage =====

Handling and Storage Precautions:MFR GIVE NO SPECIFIC STORAGE INSTRUCTIONS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED. USE NIOSH ORGANIC VAPOR/MIST RESPIRATOR OR SUPPLIED AR RESPIRATOR IF AIRBORNE CONCENTRATIONS BECOME HIGH OR OBJECTIONABLE.

Ventilation:NOT NORMALLY NEEDED. USE GENERAL VENT OR LOCAL EXHAUST IF AIRBORNE MIST/VAPORS BECOME OBJECTIONABLE.

Protective Gloves:NONE NECESSARY.

Eye Protection:SAFETY GLASSES.

Work Hygienic Practices:USE NORMAL GOOD PERSONAL HYGIENE PRACTICE.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:600F/316C

Vapor Pres:1MM HG

Spec Gravity:0.89

Solubility in Water:NIL

Appearance and Odor:CLEAR,PALE YELLOW LIQUID.

Percent Volatiles by Volume:0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE REPORTED.

Hazardous Decomposition Products:SILICA,NORMAL PRODUCTS OF HYDROCARBON COMBUSTION.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United

States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.