

NASHUA CORP OFFICE PRODUCTS DIV. -- FUSER AGENT: XEROX FA-1 -- 6850-01-259-7154

=====  
Product Identification  
=====

Product ID:FUSER AGENT: XEROX FA-1

MSDS Date:10/29/1991

FSC:6850

NIIN:01-259-7154

MSDS Number: BGRLK

=== Responsible Party ===

Company Name:NASHUA CORP OFFICE PRODUCTS DIV.

Address:44 FRANKLIN ST

City:NASHUA

State:NH

ZIP:03061

Country:US

Info Phone Num:603-880-5555

Emergency Phone Num

:603-880-5555

Preparer's Name:R. L. SEVIGNY

CAGE:34936

=== Contractor Identification ===

Company Name:NASHUA CORP OFFICE PRODUCTS DIV.

Address:44 FRANKLIN ST

Box:City:NASHUA

State:NH

ZIP:03060

Country:US

Phone:603-880-2323

CAGE:34936

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MERCAPTO-FUNCTIONAL POLYDIMETHYLSILOXANE

CAS:63148-62-9

RTECS #:JT6484500

Fraction by Wt: 100%

=====  
Hazards Identification  
=====

LD50 LC50 Mixture

:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO KNOWN CHRONIC OR ACUTE HEALTH HAZARDS WHEN USED AS INTENDED.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:MAY CAUSE TEMPORARY DISCOMFORT TO EYES. HAS LAXATIVE EFFECT UPON INGESTION.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE. SKIN: WIPE OFF AND WASH SKIN WITH SOAP AND WATER. EYES: FLUSH EYES FOR AT LEAST 15 MINUTES WITH LARGE AMOUNTS OF WATER. INGESTION: DRINK WATER IF INGESTED AND CALL POISON CONTROL CENTER.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:600F,316C

Extinguishing Media:

WATER FOG, CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTROL SPILLAGE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:AVOID RUBBING EYES WITH HANDS WHILE USING MATERIAL.

Other Precautions:CLEAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY. UPON EYE CONTACT REMOVE AND CLEAN CONTACT LENSES PRIOR TO REUSE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND

NIOSH RESPIRATOR  
SELECTION.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO  
MAINTAIN EXPOSURE LEVELS.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT  
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HC

C:N1

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres: