

MAGNAFLUX CORPORATION -- ZL-30B ZYGLO PENETRANT -- 6850-01-263-8225

=====  
Product Identification  
=====

Product ID:ZL-30B ZYGLO PENETRANT  
MSDS Date:11/19/1986  
FSC:6850  
NIIN:01-263-8225  
Kit Part:Y  
MSDS Number: BGRPW  
=== Responsible Party ===  
Company Name:MAGNAFLUX CORPORATION  
Address:7300 W.LAWRENCE AVENUE  
City:CHICAGO  
State:IL  
ZIP:60656-3504  
Country:US  
Info Phone Num:312-867-8000  
Emergency Phone Nu  
m:312-867-8000  
Preparer's Name:BRUCE C. GRAHAM  
CAGE:37676  
=== Contractor Identification ===  
Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV  
Address:3624 WEST LAKE AVENUE  
Box:City:GLENVIEW  
State:IL  
ZIP:60025  
Country:US  
Phone:847-657-5300/  
CAGE:37676

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LUBRICATING OIL(PETROLEUM),CLAY TREATED (MINERAL OIL-CLAY  
TREATED)  
CAS:64742-50-3  
Fraction by Wt: 10.0%

Ingred Name:KEROSENE  
CAS:8008-20-6  
RTECS #:OA5500000  
Fra

ction by Wt: 05.0%  
ACGIH TLV:100MG/CUM

Ingred Name:DISTILATES(PETROLEUM),CATALYTIC REFORMER FRACTIONATER  
RESIDUE,LOW BOILING  
CAS:68477-31-6  
Fraction by Wt: 30.0%  
OSHA PEL:5MG/CUM FOR OIL MIST  
ACGIH TLV:5MG/CUM FOR OIL MIST

Ingred Name:UNIDENTIFIED COMPONENTS  
Fraction by Wt: 55.0%

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Health Hazards Acute and Chronic:IRRITATES EYES.  
Effects of Overexposure:INHALATION:CAUS  
ES DIZZINESS,DROWSINESS,NAUSEA;  
SKIN:LIQUID IRRITATES BY DISSOLVING SKIN OIL; EYES:VAPORS/LIQUID  
CAUSES IRRITATION.  
Medical Cond Aggravated by Exposure:NOT KNOWN.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR.IF BREATHING IS DIFFICULT,GIVE  
OXYGEN; SKIN:REMOVE CONTAMINATED CLOTHES.WASH OFF WITH FLOWING  
WATER.USE SOOTHING LOTION.IF IRRITATION PERSISTS,GET MEDICAL ATTN;  
EYES:IMM EDIATELY RINSE/FLUSH WITH COPIOUS A  
MOUNT OF RUNNING  
WATER,AND GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:>200F/>93C  
Extinguishing Media:CARBON DIOXIDE,FOAM.  
Fire Fighting Procedures:KEEP CONTAINERS COOL WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY CAUSE  
TOXIC GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE

IGNITION SOURCES.SM QTY:WIPE UP OR MOP  
UP BUT DO NOT BREATHE VAPORS.PLACE RAGS IN CLOSED DRUMS; LG  
QTY:WEAR PERSONAL SAFETY EQUIPMENTS.DIKE AREA FAR AHEAD.ABSORB  
LIQUID WITH COMMERCIAL ABSORBENT.T.TRANSFER WASTE MATL IN SALVAGE  
TANKS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES IN WELL  
VENTILATED AREA.AVOID AGAINST PHYSICAL DAMAGE TO CONTAINERS.KEEP  
CONTAINERS TIGHTLY CLOSED.

Other Pre

cautions:DO NOT BREATHE VAPORS.DO NOT SMOKE WHILE USING.DO NOT  
HEAT ABOVE 130F(54C).AVOID FREQUENT OR PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR RESPIRATOR WITH CHEMICAL CARTRIDGE IF USING  
IN POORLY VENTILATED AREA.AVOID BREATHING VAPOR OR SPRAY MIST.

Ventilation:GENERAL VENTILATION TO KEEP BELOW LIMITS OF TLV.

Protective Gloves:NITRILE GLOVES IF USING FREQUENTLY.

Eye Protection:FULL GOGGLES WHEN SPRAYING OR P  
OURING.

Other Protective Equipment:USE IN SPRAY BOOTH OR WHERE VENTILATION IS  
ADEQUATE TO CARRY VAPORS & OVERSPRAY FROM OCCUPIED AREAS.

Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.WASH  
THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

ITEM IS A 2 PARTS SET;UNDER QPL-25135-15 OF MIL-I-25135D,THE KIT OF  
TYPE I,METHOD B,LEVEL 4 MAY CONSIST OF ZL-30B,ZL-37,OR ZL-38  
PENETRANT AND ZE-3 OR ZE-4B EMULSIFIER;SEE PNI D & E FOR EMULSIFIER  
DAT A;KEY1:N1;THIS

ENTRY DESCRIBES ZL-30B;SEE PNI B & C FOR OTHER  
QUALIFIED PENETRANTS FOR THIS NSN.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:410F/210C

Vapor Pres:1.0

Spec Gravity:0.96

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GREEN OILY LIQUID.

Percent Volatiles by Volume:5%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:HEAT,HIGH TEMPER

ATURES.

Hazardous Decomposition Products:EMITS OXIDES OF CARBON AND NITROGEN ON COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF AS EPA HAZARDOUS WASTE D001 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.