

MAGNAFLUX CORPORATION -- ZL-37 ZYGLO PENETRANT -- 6850-01-263-8432

===== Product Identification =====

Product ID:ZL-37 ZYGLO PENETRANT

MSDS Date:07/17/1986

FSC:6850

NIIN:01-263-8432

MSDS Number: BGRRN

=== Responsible Party ===

Company Name:MAGNAFLUX CORPORATION

Address:7300 W.LAWRENCE AVENUE

City:CHICAGO

State:IL

ZIP:60656-3504

Country:US

Info Phone Num:312-867-8000

Emergency Phone Num:312-867-800

0

Preparer's Name:BRUCE C.GRAHAM

CAGE:37676

=== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:847-657-5300/

CAGE:37676

===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES (PETROLEUM),HYDROTREATED MIDDLE

CAS:64742-46-7

RTECS #:JN9379645

Fraction by Wt: 10.0%

Ingred Name:KEROSENE

CAS:8008-20-6

RTECS #:OA5500000

Fraction by Wt: 05.0%

ACGI

H TLV:100MG/CUM

Ingred Name:UNIDENTIFIED COMPONENTS;PER MFR,CONTAINS NO OTHER
INGREDIENTS SUSPECTED OF BEING HAZARDOUS IAW INFO IN 29CFR1910.1200

Fraction by Wt: 200F/>93C

Extinguishing Media:CARBON DIOXIDE,FOAM

Fire Fighting Procedures:KEEP CONTAINERS COOL WITH WATER SPRAY.DO NOT
SPRAY WATER ON BURNING ZL-37

Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY EMIT TOXIC
GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.

===== Accidental Release Measures =====
=====

Spill Release Procedures:REMOVE IGNITION SOURCES.SM QTY:WIPE UP OR MOP
UP BUT DO NOT BREATHE VAPORS.PLACE RAGS IN CLOSED DRUMS; LG
QTY:WEAR PERSONAL SAFETY EQUIPMENTS.DIKE AREA FAR AHEAD.ABSORB
LIQUID WITH COMMERCIAL ABSORBENT.T.TRANSFER WASTE MATERIAL IN SALVAGE
TANKS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES IN WELL
VENTILATED AREA.AVOID AGAINST PHYSICAL DAMAGE TO CONTAINERS.KEEP

P
CONTAINERS TIGHTLY CLOSED.

Other Precautions:DO NOT BREATHE VAPORS.DO NOT SMOKE WHILE USING.DO NOT
HEAT ABOVE 130F(54C).AVOID FREQUENT OR PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR RESPIRATOR WITH CHEMICAL CARTRIDGE IF USING
IN POORLY VENTILATED AREA.AVOID BREATHING VAPOR OR SPRAY MIST.

Ventilation:GENERAL VENTILATION TO KEEP BELOW LIMITS OF TLV.

Protective Gloves:NITRILE GLOVES IF USING FREQUENTLY.

Eye

Protection:FULL GOGGLES WHEN SPRAYING OR POURING.

Other Protective Equipment:USE IN SPRAY BOOTH OR WHERE VENTILATION IS
ADEQUATE TO CARRY VAPORS & OVERSPRAY FROM OCCUPIED AREAS.

Work Hygienic Practices:WASH OFF PROMPTLY WITH WATER.AVOID SKIN
CONTACT.

Supplemental Safety and Health

NSN OF MIL-I-25135D,TYPE I,METHOD C,LEVEL 3;PER QPL-25135-15,MAGNAFLUX
CORP.,MAY SUPPLY ONE OF THE FOLLOWING PENETRANTS FOR TYPE I,METHOD
C,LEVEL 3,NSN:ZL-22D,ZL-27A,ZL-37,ZL-54A,ZL-55 OR ZL-66A;THIS

ENTRY DESCRIBES ZL-37;PRODUCT NOT AVAILABLE IN AEROSOL CANS;SEE
OTHER P/N IND OF THIS NSN FOR OTHER QUALIFIED ITEMS.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:410F/210C
Vapor Pres:1.0
Spec Gravity:0.96
Solubility in Water:NEGLIGIBLE
Appearance and Odor:GREEN OILY LIQUID
Percent Volatiles by Volume:5%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE KNOWN
Stability
Condition to Avoid:HEAT,HIGH TEMPERATURES
Hazardous Decomposition Products:EMITS OXIDES OF CARBON AND NITROGEN ON
COMBUSTION

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF AS EPA HAZARDOUS WASTE
D001 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the
Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.