

KILFROST INC -- KILFROST TOOL OIL -- 9150-01-266-1623

=====  
Product Identification  
=====

Product ID:KILFROST TOOL OIL

MSDS Date:07/01/1986

FSC:9150

NIIN:01-266-1623

MSDS Number: BGRXT

=== Responsible Party ===

Company Name:KILFROST INC

Box:883

City:WOLFBORO

State:NH

ZIP:03894-0883

Country:US

Info Phone Num:603-569-5366

Emergency Phone Num:603-569-5366

CAGE:NO326

=== Contractor Identification ===

C

Company Name:COLEMAN ROGER ASSOCIATES INC

Address:RT 109A

Box:883

City:WOLFEBORO

State:NH

ZIP:03894

Country:US

CAGE:52761

Company Name:KILFROST INC

Box:883

City:WOLFBORO

State:NH

ZIP:03894-0883

Country:US

Phone:603-569-5366

CAGE:NO326

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

OSHA PEL:C 50 PPM

ACGIH TLV:C 50 PPM,VAPOR; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:SODIUMSULFONATE

Ingred Name

:ETHANOLAMINE  
CAS:141-43-5  
RTECS #:KJ5775000  
OSHA PEL:3 PPM/6 STEL  
ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:FATTY ACID SOAPS

Ingred Name:HEAVY NAPHTHENIC PETROLEUM OIL DISTILLATE  
CAS:64741-53-3  
RTECS #:PY8034000  
Other REC Limits:5NG/CUM,AS OIL MIST

=====  
===== Hazards Identification =====

Health Hazards Acute and Chronic:ACUTE:IRRIGATION OF EYES,SKIN AND  
RESPIRATORY TRACT.  
Medical Cond Aggravated by Exposure:PRE-EXITING CONDITIONS MAY BE  
WORSEN.

=====  
===== First Aid Measures =====

First Aid:EYES & SKIN:FLUSH WITH PLENTY OF WATER FOR ABOUT 15  
MINUTES:CALL A PHYSICIAN IF NEEDED. INHALATION:REMOVE TO FRESH AIR  
INGESTION:DO NOT INDUCE VOMITING:GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY/FOG,CO\*2,DRY CHEMICAL  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED  
AREA.  
Unusual Fire/Explosion Hazard:NONE NOTED

=  
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION:CONTAIN FREE  
LIQUID AND RECOVER FOR PROPER DISPOSAL USE INERT ABSORBENT  
MATERIAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED  
AREA:KEEP AEAY FROM HEAT AND OXIDIZERS .

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIO

SH/MSHA APPROVED RESPIRATOR FOR ORGANIC

VAPOR/MIST,IF ABOVE PRL/TLV

Ventilation:LOCAL EXHAUST/GENERAL TO MAINTAIN PEL/TLV

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:APRON,EYE-WASH FOUNTAIN.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN.DO NOT BREATHE  
VAPORS/MIST.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:WIDE RANGE

Spec Gravity:1.089

Evaporation Ra

te & Reference: