View NSN Online: https://aerobasegroup.de/nsn/6850-01-268-1754

Product ID:B&B TRITECH,INC. MSDS Date:09/01/1989 FSC:6850 NIIN:01-268-1754 MSDS Number: BGSRV === Responsible Party === Company Name: B&B CHEMICAL COMPANY, INC. Address:875 WEST 20TH. STREET, City:HIALEAH State:FL ZIP:33010 Country:US Info Phone Num:305-888-5247 Emergency Phone Num:305-888-5247 CAGE: 21361 === Contractor Identification === Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:33010-2310 Country:US Phone:305-888-5247 CAGE:21361

Ingred Name:UNIDENTIFIED COMPONENTS

Ingred Name: DIETHANOLAMINE (SARA III)

CAS:111-42-2

RTECS #:KL2975000

ACGIH TLV:3 PPM; 9192

OSHA PEL:3 PPM

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

======================= Hazards I

Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 710 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:OVEREXPOSURE MAY CAUSE IRRITATION OR BURNING TO EYES, IRRITATION TO SKIN AND RESPIRATORY SYSTEM AND CENTRAL NERVOUS SYSTEM DEPRESSION.

Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOX IN.

Effects of Overexposure:OVEREXPOSURE MAY CAUSE IRRITATION OR BURNING TO EYES, IRRITATION TO SKIN AND RESPIRATORY SYSTEM AND CENTRAL NERVOUS SYSTEM DEPRESSION.

Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET

MEDICAL ATTENTION. EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: WASH WITHSOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ATTENTION. INGESTED: IF CONSCIOUS, GIVE 2 GLASSES OF WATER AND INDUCE VOMITING. GET MEDICAL ATTENTION.

Flash Point Method:COC

Flash Point:NONE TO BOILING

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: ABSORB SPILL WITH INERT MATERIAL OR SAND. MOP, SQUEEGEE AND VACUUM UP SPILL. DIKE

TO RETAIN LARGE SPILL. PLACE WASTE IN DOT APPROVED CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

======================================
Handling and Storage Precautions:AVOID EXTREME TEMPERATURES. AVOID CONTACT WITH SKIN AND EYES. Other Precautions:NONE
======================================
Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH /MSHA APPROVED ORGANIC VAPOR/AMINE RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. Ventilation: USE WITH ADEQUATE VENTILATION. Protective Gloves: RUBBER GLOVES Eye Protection: CHEMICAL SPLASH GOGGLES Other Protective Equipment: SAFETY SHOWER AND EYE BATH. INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING OR DRINKING. L AUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NONE
======================================
HCC:N1 Boiling Pt:B.P. Text:>200F,>93C

Spec Gravity:1.01 Evaporation Rate & amp; Reference:SLOWER THAN ETHER Solubility in Water:COMPLETE Appearance and Odor:SLIGHTLY VISCOUS LIQUID, MILD ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition t o Avoid:HIGH HEAT

Hazardous Decomposition Products:WHEN HEATED TO DECOMP, DIETHANOLAMINE EMITS TOXIC FUMES SUCH AS NOX.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no mann er whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.