

DEAN ROY PRODUCTS CO -- R-258 SPECIAL LUBRICANT;MIL-L-46150 -- 9150-01-109-7793

=====
Product Identification
=====

Product ID:R-258 SPECIAL LUBRICANT;MIL-L-46150

MSDS Date:11/10/1987

FSC:9150

NIIN:01-109-7793

MSDS Number: BGTKP

=== Responsible Party ===

Company Name:DEAN ROY PRODUCTS CO

Address:23440 KEAN AVE

City:DEARBORN

State:MI

ZIP:48124

Country:US

Info Phone Num:313-563-7396

Emergency Phone

Num:313-563-7396

Preparer's Name:ANN GUYOT

CAGE:MO343

=== Contractor Identification ===

Company Name:DEAN ROY PRODUCTS CO

Address:23440 KEAN AVE

City:DEARBORN

State:MI

ZIP:48124

Country:US

Phone:313-563-7396

CAGE:MO343

Company Name:ROY DEAN PRODUCTS CO

Address:45800 MAST STREET

Box:City:PLYMOUTH

State:MI

ZIP:48170-6007

Country:US

Phone:313-451-2800

CAGE:0DRK3

=====
Composition/Information on Ingredients
=====

Ingred Name:SYNTHETIC ESTER

Ingred Name:OTHER COMPONENTS

=====

=====
===== Hazards Identification =====
=====

Health Hazards Acute and Chronic:ACUTE:MAY CAUSE SLIGHT IRRITATION TO SKIN AND EYES:NO OTHER DATA AVAILABLE. CHRONIC:POSSIBLE IRRITATION OR DERMATITIS.

Explanation of Carcinogenicity:NO DATA AVAILABLE.

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
===== First Aid Measures =====
=====

First Aid:INHALATION:REMOVE TO FRESH AIR. INGESTION:DO NOT INDUCE

VOMITING;SEEK MEDICAL HELP IMMEDIATELY. EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15 MINUTES.CALL A PHYSICIAN IF NEEDED.SKIN:WIPE,USE SOAP & WATER.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:COC

Flash Point:500F/250C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER

SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:NONE NOTED.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP OR USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:STORE IN COOL, DRY AND WELL VENTILATED AREA;KEEP AWAY FROM HEAT, OPEN FLAMES, IRRADIATION SOURCES.

=====
===== Exposure Controls/Personal Protection =====
=====

Respiratory Protection:NORMALLY NOT NEEDED;USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL/TLV.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:IMPERVIOUS.

Eye Protection:GOGGLES.

Other Protective Equipment:APRON;EYE-WASH FACILITIES.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST;WASH THOROUGHLY AFTER USE.

Supplemental Safety

and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F/316C

Spec Gravity:0.928

Solubility in Water:NEGLIGIBLE

Appearance and Odor:TAN COLORED,SEMI-FLUID,PLEASANT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:DO NOT USE SMOKE WHILE USING THIS PRODUCT.

Hazardous Decomposition Products:SMOKE,CO,CO*2.

=====

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person uti

lizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.