

TRIAD PAINT AND CHEMICAL CORP -- STAIN, TT-S-711C -- 8010-00-598-7669

===== Product Identification =====

Product ID:STAIN, TT-S-711C

MSDS Date:01/01/1987

FSC:8010

NIIN:00-598-7669

MSDS Number: BGVQX

=== Responsible Party ===

Company Name:TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVENUE

City:BROOKLYN

State:NY

ZIP:11207

Country:US

Info Phone Num:(718) 443-2778

Emergency Phone Num:(718) 443

-2778

CAGE:33151

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

Company Name:TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVE

Box:City:BROOKLYN

State:NY

ZIP:11207-1140

Country:US

CAGE:33151

===== Composition/Information on Ingredients =====

Ingred Name:PIGMENT

Fraction by Wt: 6.6%

Ingred Name:VEHICLE

Fraction by Wt: 93.4%

Ingred Name:MINERAL SPIRI

TS  
CAS:64741-41-9  
Fraction by Wt: 62.4%  
ACGIH TLV:100 PPM

=====  
===== Hazards Identification =====

Health Hazards Acute and Chronic:VAPORS MIGHT BE IRRITATING TO EYES,  
NOSE AND THROAT. REPEATED EXCESSIVE EXPOSURE MAY RESULT IN  
HEADACHE, DIZZINESS, SLEEPINESS AND NAUSEA. DEFATTING TO SKIN.  
Effects of Overexposure:VAPORS MIGHT BE IRRITATING TO EYES, NOSE AND  
THROAT. REPEATED EXCESSIVE EXPOSURE MAY RESULT IN  
HEADACHE,DIZZINESS,SLEEPINESS AND NAUSEA.

=====  
===== First Aid Measures =====

First Aid:INHALATION: PROVIDE FRESH AIR AND REST. SKIN CONTACT: WASH  
WITH MILD SOAP AND WATER. USE EMOLLIENT CREAM OR LOTION. EYE  
CONTACT: WASH WITH GENTLE STREAM OF WATER FOR 10 MINUTES. SEE A  
DOCTOR.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:105F/41C  
Lower Limits:1.0  
Upper Limits:6.0  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL.  
Fire Fighting Procedure  
s:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED  
RESPIRATORS. WATER STREAM WILL SPREAD OIL FIRES.  
Unusual Fire/Explosion Hazard:KEEP WORK AREAS FREE OF HOT METAL  
SURFACES AND OTHER SOURCES OF IGNITION. VAPOR FORMS EXPLOSIVE  
MIXTURE BETWEEN UPPER AND LOWER EXPLOSIVE UNITS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:AVOID FLAME AND SPARK SOURCES. PROVIDE  
ADEQUATE VENTILATION. WIPE UP SPILL WITH INERT ABSORBENTS AND NON  
SPARKING TOOL

S. SAFELY DISCARD SATURATED ABSORBENTS. AVOID  
PROLONGED BREATHING OF VAPORS WHILE CLEANING UP SPILL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID OPEN FLAMES AND SPARK SOURCES.  
PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE HEAT.  
Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED  
CONTACT WITH SKIN. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:ORGANIC CANNISTER MASK OR AIR PACK IF  
VENTILATION IS ADEQUATE.  
Protective Gloves:NEOPRENE RUBBER GLOVES.  
Eye Protection:CHEMICAL SAFETY GOGGLES.  
Other Protective Equipment:MECHANICAL: W/APPROVED CLASS D EXPLOSION  
PROOF MOTOR AND SWITCHES.  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:315,334,382  
Vapor Pres:100F 1  
Vapor Density:5.0  
Spec Gravity:.901  
Evaporation Rate & Refer  
ence:.13  
Solubility in Water:NEG  
Appearance and Odor:MAPLE COLOR LIQUID, HYDROCARBON ODOR.  
Percent Volatiles by Volume:72

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products:CO, CO2, ACID FUMES, AND SMOKE WHEN  
COMBUSTED.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DISPOSAL PROCEDURES MUST COMPLY WITH LOCAL,STATE  
AND

## FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to the  
ir  
particular situation.