

INDUSTRIAL FLOOR FINISHES -- WAX, AUTOMOBILE PASTE, TYPE I -- 7930-00-985-6750

=====  
Product Identification  
=====

Product ID:WAX, AUTOMOBILE PASTE, TYPE I

MSDS Date:12/01/1985

FSC:7930

NIIN:00-985-6750

MSDS Number: BGWJP

=== Responsible Party ===

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRING STREET

City:BEDFORD

State:MA

ZIP:01730

Country:US

Info Phone Num:617-667-5161

Emergency Phone

Num:617-667-5161 OR LOCAL POISON CENTER

Preparer's Name:T. PITROFF

CAGE:INDUS

=== Contractor Identification ===

Company Name:GSA/FEDERAL COMMERCIAL ITEM DESCRIPTION

Address:PROMULGATED BY GENERAL SERVICES ADMIN.

Box:City:WASHINGTON

State:DC

Country:US

CAGE:58536

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRINGS RD

City:BEDFORD

State:MA

ZIP:01730

Country:US

Phone:1-617-667-5161

CAGE:INDUS

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STODDARD SOLVEN

T  
CAS:8052-41-3  
RTECS #:WJ8925000  
Fraction by Wt: 69%  
OSHA PEL:500 PPM  
ACGIH TLV:100 PPM; 9293

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Health Hazards Acute and Chronic:EYE CONTACT: FLUSH WITH WATER. SKIN CONTACT: WASH WITH MILD SOAP AND WATER, APPLY SKIN CREAM. INHALATION: REMOVE TO FRESH AIR ANC CALL PHYSICIAN.  
Medical Cond Aggravated by Exposure:EYE IRRITATION, DRYING SKIN, MAY CAUSE HEADACHE, DIZZINESS, NAUSEA.

=====  
Fire Fighting Measures  
=====

Flash Point:104F/4.44C  
Lower Limits:6.9  
Upper Limits:0.4  
Extinguishing Media:WATER SPRAY, CO2 FOAM, DRY CHEMICAL.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SCRAPE UP MATERIAL FROM SURFACE AND COLLECT IN METAL CONTAINER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE ADEQUATE VENTILATION. AVOID PROLONGED CONTACT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS ABOVE TII LIMITS.  
Ventilation:YES  
Protective Gloves:YES  
Eye Protection:YES  
Other Protective Equipment:EYE BATH.  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:311F  
Vapor Pres:2  
Vapor Density:4.7  
Spec Gravity:0.78  
Evaporation

Rate & Reference:TOLUENE 0.12  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:LT BLUE, WAXY ODOR.  
Percent Volatiles by Volume:69

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME.  
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER  
SAFE CONDITIONS, DISPOSE OF IN  
ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and as  
sume responsibility for the suitability of this information to their particular situation.