

HYSOL AEROSPACE INC., DIV. THE DEXTER CORP. -- EA 9309.3 NA PART B -- 1615-01-115-3616  
===== Product Identification =====

Product ID:EA 9309.3 NA PART B

MSDS Date:03/11/1987

FSC:1615

NIIN:01-115-3616

Kit Part:Y

MSDS Number: BGWJY

=== Responsible Party ===

Company Name:HYSOL AEROSPACE INC., DIV. THE DEXTER CORP.

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Country:US

Info Phone Num:510-458-8000

Emergency Phone Num:510-458-8000

CAGE:HYSOL

=== Contractor Identification ===

Company Name:BOEING HELICOPTERS, DIV OF THE BOEING CO

Address:BOEING CENTER, INDUSTRIAL HWY BLDG 3-25

Box:City:RIDLEY PARK

State:PA

ZIP:19078

Country:US

Phone:215-591-3010

CAGE:77272

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

Company Name:HYSOL AEROSPACE & IN

DUSTRIAL PRODUCTS  
Address:2850 WILLOW PASS ROAD  
City:PITTSBURG  
State:CA  
ZIP:94565  
Country:US  
Phone:415-687-4201 X362 X319  
CAGE:HYSOL

=====  
===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN SYSTEM  
OSHA PEL:NONE ESTABLISHED  
ACGIH TLV:NONE ESTABLISHED

Ingred Name:DIETHYLENE TRIAMINE  
CAS:111-40-0

RTECS #:IE1225000

Fraction by Wt: 148.C, 298.4F

Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER, OR WATER  
SPRAY, FOAM OR FOG.

Fire Fighting Procedures

:WEAR FULL PROTECTIVE CLOTHING AND

NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL  
FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:DENSE SMOKE & TOXIC GASES MAY BE  
LIBERATED.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY  
GLASSES. SCRAPE UP & TRANSFER TO METAL CONTAINER. WIPE UP REMAINING  
RESIDUE W/ SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUT  
IONS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL IN ACCORDANCE W/ LABEL  
INSTRUCTIONS. AVOID MIXING RESIN & CURING AGENT IN BATCHES GREATER  
THAN 1 POUND TOTAL. STORE @ RM TEMP(77F) FOR 12MO

Other Precautions:FOLLOW RECOMMENDED CURING SHEDULE. DON'T HEAT MIXED  
ADHESIVE ABOVE 75F UNLESS CURING SURFACES TO BE BONDED. FAILURE TO  
OBSERVE CAUTION MAY RESULT IN EXCESSIVE HEAT BUILD-UP W/ THE  
RELEASE OF TOXIC GAS ES

!

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED W/ GOOD INDUSTRIAL VENTILATION;  
ORGANIC CARTRIDGE RESPIRATOR.WHEN TLV LEVELS EXCEEDED.

Ventilation:LOCAL EXHAUST RECOMMENDED.

Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:AS NEEDED TO PROTECT SKIN & CLOTHING.

Work Hygienic Practices:WASH THOROUGHLY AFTER USE & BEFORE  
EATING,DRINKING OR SMOKING. LAUNDER CONTAMINAT  
ED CLOTHING BEFORE  
REUSE.

Supplemental Safety and Health

KEY1:N1; PART NINE OF NINE-PART KIT. MFR: 3M, BOSTIK, DOW, PRODUCTS  
RESEARCH AND HYSOL (DEXTER CORP.), SAME NSN.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:=223.C, 433.4F

Vapor Pres:1.02

Evaporation Rate & Reference:NIL

Solubility in Water:PARTIAL

Appearance and Odor:TRANSPARENT BLUE LIQUID W/ AMMONICAL ODOR.

===== Stability and Reactivity Data =====

Stab

ility Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Hazardous Decomposition Products:OXIDES OF CARBON, NITROGEN; ALDEHYDES,  
ACIDS & UNDETERMINED ORGANICS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT  
HAZARD CLASS. IF NOT REGULATED BY DOT, DISPOSE OF AS ORM-E.

Disclaimer (provided with this information by the compiling agencies):

This information is

formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.