

BAKER SEALANTS AND COATINGS COMPANY -- THREAD COMPOUND, GRAPHITE --
8030-01-044-5034

===== Product Identification =====

Product ID:THREAD COMPOUND, GRAPHITE

MSDS Date:01/01/1987

FSC:8030

NIIN:01-044-5034

MSDS Number: BGWQV

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS COMPANY

Address:234 SUYDAM AVENUE

City:JERSEY CITY

State:NJ

ZIP:07304

Country:US

Info Phone Num:201-333-6986

Emergency Phone Num:201-333-6986

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Name:GRAPHITE

CAS:7440-44-0

RTECS #:FF5250000

Fraction b

y Wt: 50%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:2 MG/M3 TDUST; 9293

Ingrid Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')
CAS:8012-95-1
RTECS #:PY8030000
Fraction by Wt: 50%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3/10 STEL;9192

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:EYES-IRRITATION;
SKIN-IRRITATION.

=====
===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER; SKIN-WASH WITH SOAP AND WATER.

=====
===== Fire Fighting Measures =====

Flash Point:>400F->204C
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:DIKE AREA; DUMP INTO SALVAGE TANK.

=====
===== Handling and Storage =====

Handling and Storage Precautions:NORMAL PRECAUTIONS.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF DESIRED, SELF CONTAINED BREATHING APPARATUS.
Ventilation:LOCAL EXHAUST.
Protective Gloves:IF DESIRED, RUBBER.
Eye Protection:IF DESIRED, SAFETY GOGGLES.
Other Protective Equipment:NONE
Supplemental Safety and Health
NONE

=====
===== Physical/Chemical Propert

ies =====

Spec Gravity:1.328

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK GRAY-NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:PER LOCAL, STATE OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.