

ROCHEM/ROMACO -- GTE CC FYREWASH OR KANK WASH -- 6850-00-181-7594

=====  
Product Identification  
=====

Product ID:GTE CC FYREWASH OR KANK WASH

MSDS Date:08/20/1988

FSC:6850

NIIN:00-181-7594

MSDS Number: BGWXL

=== Responsible Party ===

Company Name:ROCHEM/ROMACO

Address:27 E. 33 STREET

City:PATTERSON

State:NJ

ZIP:07514

Country:US

Info Phone Num:516-354-6925 OR 201-279-8884

Emergency Phone Num:516-35

4-6925 OR 201-279-8884

CAGE:KO483

=== Contractor Identification ===

Company Name:ROCHEM/ROMACO

Address:27 E. 33 STREET

City:PATTERSON

State:NJ

ZIP:07514

Country:US

Phone:516-354-6925 OR 201-279-8884

CAGE:KO483

Company Name:UNITOR ROCHEM MARINE CHEMICALS

Address:27 E 33RD STREET

Box:City:PATTERSON

State:NJ

ZIP:07514

Country:US

Phone:201-279-8884

CAGE:75680

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AROMATIC SOLVENT

CAS:64742-94-5

Other REC Limits:210 PPM

ingred Name:2,4,PENTANDIOL,2-METHYL,HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0180000

OSHA PEL:25 PPM (CEILING)

ACGIH TLV:25 PPM (CEILING)

ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:CHEMICAL PNEUMONITIS IN INGESTED AND

ASPIRATED INTO THE LUNGS;IRRITATION OF EYES AND SKIN,REDNESS

AND BURNS OF EYES,CNS DEPRESSION,DIZZINESS,NAUSEA,IRRITATION OF RESPIRATORY TRACT. CHRONIC:DRYIN G OF SKIN,IRRITATION,DERMATITIS.

Explanation of Carcinogenicity:PER MSDS

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

=====  
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR;CPR/OXYGEN IF NEEDED

;CONSULT A

PHYSICIAN. SKIN:WASH WITH SOAP AND WATER;REMOVE CONTAMINATED

CLOTHES. EYES:FLUSH WIT PLENTY OF WATER FOR ABOUT 15 MINUTES;CALL A

PHYSICIAN . INGESTION:DO NOT INDUCE VOMITING;SEEK MEDICAL ATTENTION IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:160F/71C

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:FOAM, DRY CHEMICAL, CO\*2, WATER SPRAY OF FOG.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SC

BA IN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:AVOID EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;REMOVE ALL IGNITION SOURCES;CONTAIN FREE LIQUID IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT,OPEN FLAMES;NO SMOKING IN WORK AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPOR/MIST IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV (FACE VELOCITY >60FPM).

Protective Gloves:IMPERVIOUS.

Eye Protection:SPLASH GOGGLES OR FULL FACESHIELD.

Other Protective Equipment:IMPERVIOUS APRON;EYE-WASH FACILITIES.

Work Hygienic Practices:AVOID CONTACT WITH

EYES AND SKIN;DO NOT BREATHE VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:350F-650F

Vapor Pres:4.0

Spec Gravity:0.90

Evaporation Rate & Reference: