View NSN Online: https://aerobasegroup.de/nsn/6750-01-042-0872 PHOTO TECHNOLOGY LTD -- 303530GT, CHROME-SIX, COLOR DEVELOPER B -- 6750-01-042-0872 Product ID:303530GT,CHROME-SIX,COLOR DEVELOPER B MSDS Date:05/01/1990 FSC:6750 NIIN:01-042-0872 Kit Part:Y MSDS Number: BGWYP === Responsible Party === Company Name: PHOTO TECHNOLOGY LTD Address: THE GATE STUDIOS, STATION ROAD City:BOREHAMWOOD, HERTFORDSHIRE, WD6-1DQ Country:UK Info Ph one Num:011-44-707-50295 (ENGLAND PHONE #) Emergency Phone Num:313-995-4192 (JOBO FOTOTECHNIC #) Preparer's Name: PATRICIA DSIDA CAGE:U3444 === Contractor Identification === Company Name: JOBO FOTOTECHNIC INC, SUB OF JOBO LABORTECHNIK Address:251 JACKSON PLZ Box:3721 City: ANN ARBOR State:MI ZIP:48106 Country:US CAGE:6Z640

Company Name:PHOTO TECHNOLOGY LTD Address:CRANBORNE INDUSTRIAL ESTATE

City:POTTERS BAR HERTS

Country:UK CAGE:U3444

====== Composition/Information on Ingredients ======

Ingred Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIAMINE (PER MSDS CALLED:DERIVATIVES OF PARAPHENYLENEDIAMINE

CAS:25646-71-3 RTECS #:PB0431000 Fraction by Wt: 5-15%

Other REC Limits: NONE SPECIFIED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:

IRRITATION AND ALLERGIC SKIN REACTION; HARMFULL IF SWALLOWED. CHRONIC: NONE NOTED, POSSIBLE DERMATITIS. Effects of Overexposure: INHALATION: MIST AND VAPORS ARE IRRITATING TO NOSE, THROAT & LUNGS. SKIN: REPEATED CONTACT MAY CAUSE IRRITATION AND DERMATITIS. MAY CAUSE ALLERGIC REACTION. EYES: MAY CAUSE IRRITATION. INGESTION: HARM FUL OR TOXIC IF SWALLOWED. Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS, OR RESPIRATORY PROBLEMS MAY BE MORE SUSCEPTIBLE TO THIS PRODUCT.
======================================
First Aid:SKIN AND EYES:WASH THOROUGHLY WITH PLENTY OF WATER FOR ABOUT 15 MINUTES, CALL A PHYSICIAN IF NEEDED. INGESTION:INDUCE VOMITING,CALL A DOCTOR FOR HELP IMMEDIATELY.
======================================
Flash Point:NONE Extinguishing Media:USE SUITABLE MEDIA FOR SURROUNDING FIRE. Fire Fighting Procedures:USE NIO SH/MSHA APPROVED SCBA IN ENCLOSED AREA. Unusual Fire/Explosion Hazard:NONE NOTED
======== Accidental Release Measures =========
Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. KEEP PEOPLE AWAY. VENTILATE AREA. WEAR PROTECTIVE EQUIPMENT. DILUTE WITH WATER BEFORE DISPOSAL. MATERIAL MAY STAIN SURFACE. PLACE WASTE MATERIAL IN DISPOSAL CONTAINER PENDIN G DISPOSAL INSTRUCTIONS.
=========== Handling and Storage ============
Handling and Sto rage Precautions:AVOID GENERATING MIST.DO NOT BREATHE MIST/ VAPORS.KEEP CONTAINERS CLOSED WHEN NOT IN USE.STORE AWAY FROM ACIDS AND REACTIVE METALS.STORE IN COOL PLACE Other Precautions:USE WITH ADEQUATE VENTILATION. DO NOT GET ON SKIN, EYES, OR CLOTHING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY NEEDED IF THERE IS AN ADEQUATE VENTILATIONS. Ventilation:ADEQUATE TO KEEP EXPOPSURE BELOW THE TLV. LOCAL EXHAUST FOR

GENERATION OF MISTS, OR USE AT HIGH TEMPERATURES.

Protective Gloves: IMPERVIOUS GLOVES/APRON NEOPRENE RECOMME

Eye Protection: SAFETY GLASSES WIT SIDE SHIELD.

Other Protective Equipment:EYE WASH AND EMERGENCY SHOWER FACILITIES AVAILABLE IN THE WORK AREA.

Work Hygienic Practices:PRACTICE GENERAL INDUSTRIAL HYGEIN PRACTICE.KEEP AREA CLEAN.WASH THOROGHLY AFTER EACH USE OR HANDLING.AVOID CONTACT.

Supplemental Safety and Health

THE KIT USED TO BE SUPPLIED BY KODAK.DURING 1988,KIT WAS RECLASS IFIED

TO OBTAIN FROM JOBO FOTOTECHNIC UNDER P/N: 303530GT AS 5 PARTS KIT HAVING 3 BATHS (THIS P/N REPLACES THEIR OLD P/N: 303520).THE PA RTS OF KIT ARE:FIRST DEVL, DEVELOPRS PART A & B, ABD BLEACH FIX PARTS A & B. THIS IS COLOR DEVELOPER.PART B; KEY1:C3

========= Physical/Chemical Properties ==========
HCC:B1 pH:1 TO 3 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS,SMELL OF SULPHUR DIOXIDE
======== Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES ACIDS AND OXIDIZING MATERIAL Stability Condition to Avoid:AVOID CONTACT WITH METALS, ACID, ETC. Hazardous Decomposition Products:DECOMPOSITION OF THIS PRODUCT MAY EMIT OXIDES OF SULFUR, CARBON MONOXIDE AND CARBON DIOXIDE.
======= Disposal Considerations ==========

Waste Disposal Methods: OBEY ALL LOCAL, STATE, AND FEDERAL REGULATIONS FOR DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.