

TEXACO INC -- 00435 DIESEL FUEL 2 (BURNER OIL #2) -- 9140-00-286-5294

=====
Product Identification
=====

Product ID:00435 DIESEL FUEL 2 (BURNER OIL #2)

MSDS Date:03/12/1991

FSC:9140

NIIN:00-286-5294

MSDS Number: BGXCS

=== Responsible Party ===

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Info Phone Num:914-831-3400 EXT 204

Emergency Phone Num:914-831-3400 EXT

204

Preparer's Name:R.T. RICHARDS

CAGE:7B131

=== Contractor Identification ===

Company Name:COOL FUEL INCORPORATED (310-630-6000)

CAGE:COOL1

Company Name:STAR ENTERPRISE

Address:12700 NORTHBOROUGH

Box:City:HOUSTON

State:TX

ZIP:77067

Country:US

Phone:914-838-7204

CAGE:STARE

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Phone:914-831-3400

CAGE:7B131

=====
Composition/Information on Ingredients
=====

Ingred Name:DIESEL FUEL, ALIPHATIC-NITRO FRACT

ION: NO CAS NO.
RTECS #:HZ1765000
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 9.0 ML/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION- NARCOSIS OR
DROWSINESS. EYES- IRRITATION. SKIN- SEVERE IRRITATION. BURNS AND
BLISTERING. INGESTION- IRRITATION, BURNS, BLITERI
NG OF MOUTH,
ESOPHAGUS AND STOMACH. CHRONIC: MANUFACTUR ER STATES POSSIBLE
CANCER OR KIDNEY DAMAGE.
Explanation of Carcinogenicity:MANUFACTURER STATES POSSIBLE CARCINOGEN
FROM "MIDDLE DISTILLATES".
Effects of Overexposure:INHALATION: DIZZINESS, DROWSINESS. EYES:
BURNING SENSATION, REDNESS. SKIN: BURNS, RASH, BLISTERS. INGESTION:
BURNING OF MOUTH AND ESOPHAGUS. NAUSEA, VOMITING, STOMACH PAIN.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE
AGGAVATED
BY EXPOSURE.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE
ARTIFICIAL RESPIRATION. EYES: FLUSH WITH PLENTY OF WATER FOR 15
MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO
NOT INDUCE VO MITING! SEE DOCTOR. SEE DOCTOR IF ANY SYMPTOMS
PERSIST.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:160F,71C
Autoignition Temp
:Autoignition Temp Text:500F
Lower Limits:0.52 %
Upper Limits:4.1 %
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE GEAR. USE WATER FOG TO COOL FIRE EXPOSED CONTAINERS
AND TO DIPERSE VAPORS.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN SPILL. ABSORB ON SUITABLE M

ATERIAL,

SCOOP UP AND PLACE IN CONTAINER FOR DISPOSAL. VENTILATE AREA. AVOID BREATHING VAPORS. AVOID ALL PERSONAL CONTACT. USE SELF-CONTAINED BREATHING APPARATUS IN CONFINED AREA.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT AND IGNITION SOURCES. HANDLE AND STORE IN ACCORDANCE WITH OSHA REG. 1910.106.
Other Precautions:USE ONLY AS A FUEL.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS IF PEL/TLV EXCEEDED AS IN A LARGE SPILL OR CONFINED AREA.
Ventilation:USE ADEQUATE MECHANICAL VENTILATION.
Protective Gloves:NITRILE, PVA
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:USE GOOD PERSONAL HYGENE. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health
AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS. NOTE TO PHYSICIAN: ASPIRATION OF THIS PRODUCT DURING INDUCED EMESIS CAN RESULT IN LUNG INJURY. IF EVACUATION OF STOMACH CONTENTS IS CONSIDERED NECESSARY, USE METHOD LEAST LIKELY TO CAUSE ASPIRATION.

=====
===== Physical/Chemical Properties =====

HCC:V4
Boiling Pt:B.P. Text:650F,343C
Spec Gravity:0.8521
Viscosity:3.0CST @ 100F
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR, BRIGHT LIQUID

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:HEAT, FLAME AND OTHER SOURCES OF IGNITION.
Hazardous Decomposition Products:OXIDES OF CARBON

=====
===== Disposal Considerations =====

Waste Disposal Methods:IF DISCARDED IN ORIGINAL FORM, DISPOSE OF AS AN IGNITABLE MATERIAL (D001) UNDER RCRA. OTHERWISE CONTACT LOCAL AGENCIES FOR DISPOSAL.

VIRONMENTAL MANAGER AND DISPOSE OF IN ACCORDANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.