

OCTAGON PROCESS INC. -- MIL-H-17672D AM II 2110TH;HYDRAULIC FLUID -- 9150-00-753-4799
===== Product Identification =====

Product ID:MIL-H-17672D AM II 2110TH;HYDRAULIC FLUID

MSDS Date:05/08/1989

FSC:9150

NIIN:00-753-4799

MSDS Number: BGXDB

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Info Phone Num:201-945-9400

Eme

rgency Phone Num:201-945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

===== Composition/Information on Ingredients =====

Ingred Name:LUBE OIL BASE STOCK

CAS:64741-88-4

RTECS #:PY8040500

Fraction by Wt: +99.0%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Re

ports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:IRRITATING TO EYES,SKIN AND
RESPIRATORY TRACT,REDNESS AND TEARING OF EYES,REDNESS OF
SKIN,COUGHING,DIFFICULTY IN BREATHING.
CHRONIC:IRRITATION,RESPIRATORY PROBLEM,DERMATITIS.
Explanation of Carcinogenicity:PER MSDS DATA.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

===== First Aid Measures =====

Fi
rst Aid:EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15 MINUTES,SEEK
MEDICAL HELP. SKIN:WASH THOROUGHLY WITH SOAP &
WATER;INHALATION:REMOVE TO FRESH AIR,SEEK MEDICAL HELP IF
NEEDED;INGESTION:DO NOT INDUCE VOMITI NG;GET MEDICAL ATTENTION
IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:410-440F
Extinguishing Media:CO*2,DRY CHEMICAL,WATERFOG,FOAM.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:NONE NOTED.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;REMOVE ALL
IGNITION SOURCES;CONTAIN FREE LIQUID IF POSSIBLE;USE SUITABLE INERT
ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL;USE AN EXPERT
ADVICE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA;KEEP CO
NTAINER CLOSED WHEN NOT IN USE;KEEP AWAY FROM HEAT,OPEN
FLAMES AND SPARKS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR AN OIL
MIST IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV IF APPLICABLE.
Protective Gloves:IMPERVIOUS.
Eye Protection:CHEMICAL GOGGLES.
Other Protective Equipment:PROTECTIVE CLOTHING,EYE-WASH FOUNTAIN,SAFETY
SHOWER.
Work Hygienic Pract

ices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE
VAPORS/MIST;DO NOT USE CONTAMINATED CLOTHES.WASH AFTER EACH USE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F/316C

Vapor Pres:1MM HG

Spec Gravity:0.876

Evaporation Rate & Reference: