View NSN Online: https://aerobasegroup.de/nsn/6840-01-187-6612

CALGON VESTAL LABORATORIES, DIV OF CALGON CORP -- 6389-72 STAPHENE DISINFECTANT SPRAY -- 6840-01-187-6612

Product ID:6389-72 STAPHENE DISINFECTANT SPRAY MSDS Date:09/25/1987 FSC:6840 NIIN:01-187-6612 MSDS Number: BGXFP === Responsible Party === Company Name: CALGON VESTAL LABORATORIES, DIV OF CALGON CORP Address:7501 PAGE Box:147 City:ST. LOUIS State:MO ZIP:63166-1096 Country:US Info Phone Num:314-862-2000 (NIGHT) Emergency Phone Num:314-535-1810 (DAY) CAGE:21667 === Contractor Identification === Company Name: CONVATEC, BRISTOL-MEYERS SQUIBB CO Address:7501 PAGE Box:147 City:ST. LOUIS State:MO ZIP:63166-1096 Country:US Phone:314-535-1810 (DAY) CAGE:21667

Ingred Name:O-BENZYL-P-CHLOROPHENOL CAS:120-32-1 RTECS #:GO7175000 Fraction by Wt: 0.081% OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ES TABLISHED

Ingred Name:P-TERTIARY AMYLPHENOL CAS:80-46-6 RTECS #:SM6825000 Fraction by Wt: 0.074% OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ESTABLISHED

Ingred Name:2-PHENYLPHENOL (SARA III) CAS:90-43-7 RTECS #:DV5775000 Fraction by Wt: 0.042%

Ingred Name:N-ALKYL DIMETHYLBENZYL AMMONIUM CHLORIDE CAS:68391-01-5 Fraction by Wt: 0.042%

Ingred Name:ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 53.906% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192

====== Hazard

LD50 LC50 Mixture:LD50 > 10 ML/KG (RAT) Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:EYES & SKIN: SPRAY MAY IRRITATE BOTH EYES AND SKIN,DO NOT USE ON SURFACES WHICH WILL COME IN PROLONGED CONTACT WITH SKIN. INHALE:NOT A TOXIC SUBSTANCE ACC SURFACES. CHRONIC:NO AVAILABLE INFORMAT ION WAS FOUND. Effects of Overexposure:SEE "HEALTH HAZARDS"

===

First Aid:EYE:FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES,IF IRRITATION PERSISTS,OBTAIN MEDICAL ATTENTION; SKIN:DIRECT SPRAY TO SKIN SHOULD BE RINSED THOROUGHLY WITH WATER; INHALE:REMOVE TO FRESH AIR; ING:N/A.

Flash Point:AEROSOL Extinguishing Media:IF PRESSURIZED CANS RUPTURE, TREAT AS ALCOHOL FIRE. Fire Fighting Procedures:COOL FROM A DISTANCE WIT

## H WATER. Unusual Fire/Explosion Hazard:NONE STATED

======================================
Spill Release Procedures:PRODUCT IS AN AEROSOL IN A PRESSURIZED 20-OZ CAN. EXCESS SPRAYED QUANTITIES SHOULD QUICKLY EVAPORATE. FLUSH WITH WATER.
======================================
Handling and Storage Precautions: IT DIES NOT PERFORM PROPERLY IF USED OR RAPIDLY HEATED IMMEDIATELY AFTER REMOVAL FROM UNHEATED STORAGE. STORE AT NO
RMAL ROOM TEMP. FOR 24-48 HOURS FOL Other Precautions:LOWING ANY PROLONGED EXPOSURE TO COLD. DO NOT PUNCTURE, INCINERATE OR STORE ABOVE 100F. READ AND OBSERVE LABELED USE INSTRUCTIONS.
======================================
Respiratory Protection:NONE USUALLY. Ventilation:ROOM VENTILATION. Protective Gloves:NONE USUALLY. Eye Protection:SAFETY GLASSES. Supplemental Safety and Health
======================================
HCC:V 3 Vapor Density:2.067 Solubility in Water:APPRECIABLE Appearance and Odor:AEROSOL WITH MILD AND PLEASANT ODOR. Percent Volatiles by Volume:100
======================================
Stability Indicator/Materials to Avoid:YES NONE KNOWN.
Stability Condition to Avoid:DO NOT STORE NEAR HEAT SOURCES. Hazardous Decomposition Products:WILL INCLUDE CO, CO*2, HCL.

Waste Disposal Methods: DISPOSE OF EMPTY

CANS IN AMANNER TO AVOID PUNCTURING OR INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the su itability of this information to their particular situation.