View NSN Online: https://aerobasegroup.de/nsn/6850-00-466-6879

VIRGINIA KMP CORPORATION -- GAS LEAK LOCATOR GL6 -- 6850-00-466-6879

Product ID:GAS LEAK LOCATOR GL6 MSDS Date:04/09/1986 FSC:6850 NIIN:00-466-6879 MSDS Number: BGXHG === Responsible Party === Company Name: VIRGINIA KMP CORPORATION Address:4100-PLATINUM WAY City:DALLAS State:TX ZIP:75237 Country:US Info Phone Num:214-330-7731 Emergency Phone Num:214-330-7731 Prepa rer's Name: ROGER CARLONE CAGE:DO738 === Contractor Identification === Company Name: VIRGINIA K M P CORPORATION Address:4100 PLATINUM WAY Box:City:DALLAS State:TX ZIP:75237 Country:US Phone:214-330-7731 CAGE:8J132 Company Name: VIRGINIA KMP CORP. Address:4100 PLATINUM WAY City:DALLAS State:TX ZIP:75237 Country:US Phone:214-330-7731 CAGE:DO738

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000

Ingred Name:GLYCERIN CAS:56-81-5 RTE CS #:MA8050000 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 (MIST) 9293

======================================
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:SLIGHT IRRITATION OF EYES AND SKIN;ALSO RESPIRATORY IRRITATION IN CASE OF INHALATION OF VAPORS/MIST. CHRONIC:NOT KNOWN. Explanation of Carcinogenicity:NO DATA PER MSDS Effects of Overexposure:SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure:NOT KN OWN.
======================================
First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION. SKIN:WASH WITH SOAP AND WATER.
======================================
Flash Point:NONE Extinguishing Media:N/R;USE SUITABLE MEDIA FOR SURROUDING FIRE. Fire Fighting Procedures:N/R:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA IF APPLICABLE. Unusual Fire/Explosion Hazard:NONE EXPECTED PER MS DS.
======================================
Spill Release Procedures: USE PROPER PERSONAL PROTECTION; DILUTE WITH PLENTY OF WATER AND RECOVER FOR PROPER DISPOSAL.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY AREA.WASH AFTER USE THOROUGHLY.
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPO

RS/MIST IF ABOVE PEL/TLV (NORMALLY NOT NEEDED IN CASE OF GOOD VENTILATION).
Ventilation:NORMAL ROOM VENTILATION.
Protective Gloves:AS REQUIRED.
Eye Protection:SAFETY GOGGLES.
Other Protective Equipment:APRON;EYE-WASH FACILITIES.
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST.
Supplemental Safety and Health

HCC:N1 Spec Gravity:1.23 Solubility in Water:SOLUBLE Appearance and Odor:CLE AR VICOUS LIQUID.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:DO NOT USE ON OXYGEN SYSTEM. Hazardous Decomposition Products:NONE KNONW (PER MSDS)

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling a gencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.