

DAVLIN PAINT CO. -- ENAMEL, ZN DUST, B15145 -- 8010-00-290-6645

=====  
Product Identification  
=====

Product ID:ENAMEL, ZN DUST, B15145

MSDS Date:04/26/1988

FSC:8010

NIIN:00-290-6645

MSDS Number: BGXTL

=== Responsible Party ===

Company Name:DAVLIN PAINT CO.

Address:700 ALLSTON WAY

Box:2308

City:BERKELEY

State:CA

ZIP:94702

Country:US

Preparer's Name:PATRICIA SHAW

CAGE:DO185

=== Contractor Identificat

ion ===

Company Name:DAVLIN PAINT CO INC

Address:700 ALLSTON WAY

Box:2308

City:BERKELEY

State:CA

ZIP:94702

Country:US

Phone:510-848-2863

CAGE:3Z268

Company Name:DAVLIN PAINT CO.

Address:P.O. BOX 2308

Box:2308

City:BERKELEY

State:CA

ZIP:94702

Phone:415-889-7098

CAGE:DO185

=====  
Composition/Information on Ingredients  
=====

Ingred Name:VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:OI6180000

Fraction by Wt: 20%

Other REC Limits:125 PPM

OSHA PEL:300 PPM/400 STEL

ACGIH TLV:300 PPM;

Ingrid Name:ZINC OXIDE  
 CAS:1314-13-2  
 RTECS #:ZH4810000  
 Fraction by Wt: 15%  
 Other REC Limits:FUMES  
 OSHA PEL:15MG/M3 TDUST/5 FUME  
 ACGIH TLV:10MG/M3 TDUST; 9293

Ingrid Name:ZINC DUST  
 CAS:7440-66-6  
 Fraction by Wt: 55%  
 ACGIH TLV:15 MG/M3  
 EPA Rpt Qty:1000 LBS  
 DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PETR  
 OLEUM HYDROCARBONS & SYNTHETIC

LUBRICANTS POSE POTENTIAL HUMAN HEALTH RISKS WHICH VARY FROM PERSON  
 TO PERSON. EXPOSURE TO LIQUIDS, VAPORS, MISTS OR FUMES SHOULD BE  
 MINIMIZED. CHRONIC EXPOSURE MAY CAUSE DAMAGE TO CENTRAL NERVOUS  
 SYS,RESPIRATORY SYS,LUNGS, EYES, SKIN, GASTROINTESTINAL  
 TRACT,SPLEEN & KIDNEY.

Explanation of Carcinogenicity:PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO  
 THE STATE OF CALIF TO CAUSE CANCER, OR BIRTH DEFECTS OR OTHER  
 REPRODUCTIVE HARM.

Effects of O

verexposure:INHAL:NASAL & RESPIRATORY

IRRITATION,DIZZINESS,WEAKNESS,FATIGUE,NAUSEA,HEADACHE.EYE:IRRITATIO  
 N,TEARING,REDNESS & BLURRED VISION. SKIN:MODERATE IRRITATION,  
 DEFATTING AND DERMATITIS. SKIN: SKIN ABSORPTI ON.  
 INGESTION:IRRITATION OF DIGESTIVE TRACT & SIGNS OF CENTRAL NERVOUS  
 SYS DEPRESSION. ALSO AN ASPIRATION HAZARD.

Medical Cond Aggravated by Exposure:RESPIRATORY TRACT IRRITATION,  
 DERMATITIS, NAUSEA.

===== First Aid Measures =====

=====

First Aid:EYE:FLUSH EYES W/WATER FOR 15 MIN LIFTING EYELIDS.OBTAIN MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING, WASH W/SOAP & WATER.IF IRRITATION PERSISTS,SEE A DOCTOR. INHALATION:REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION OR OXYGEN IF NEEDED. INGESTION:GIVE WATER OR MILK AND TELEPHONE FOR MEDICAL ADVISE. DONOT TAKE PERSON VOMIT UNLESS DIRECTED BY MEDICAL STAFF. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

=====

Flash Point Method:SCC

Flash Point:105F/40.5C

Lower Limits:1.0

Upper Limits:6.1

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:NFFPA CLASS B EXTINGUISERS DESIGNED TO EXTINGUISH FLAMMABLE LIQUID FIRE.APPROVD GAS MASK REQD FOR FIRE FIGHTING PERSNEL.WTR MAYBE INEFFECTIVE/BUT AS FOG FOR COOLING

Unusual Fire/Explosion Hazard:VAPORS FORM EXPLOSIVE MIXTURE W/AIR BETWN LOWER/UPPER EXPLOSIVE LIMITS WHICH CAN BE IGNITED BY MANY SOURCES. ISOLATE FRO

M HEAT, ELEC EQUIP,SPARKS, OPEN FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL NON-ESSENTIAL PERSONNEL. REMOVE ALL IGNITION SOURCES. VENTILATE AREA. EQUIP EMPLOYEES W/APPROPRIATE EQUIP. DIKE AROUND SPILLED AREA. COVER SPILL W/INERT ABSORBANT AND TRANSFER USING NON-S PARKING TOOLS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 80F IN CLOSED CONTAINER.

STORE IN ORIGINAL CONTAINER. AVOID FLAME & HIGH TEMP. DO NOT STORE NEAR OXIDIZING AGENTS OR ACIDS.

Other Precautions:DO NOT TAKE INTERNALLY, AVOID PROLONGED INHALATION. GROUND ALL CONNECTIONS,CONTAINERS, ETC. WHEN POURING OR TRANSFERRING TO MINIMIZE STATIC ELECTRICITY.USE NON-SPARKING TOOLS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN SPRAYING MATERIAL USE NIOSH APPROVED CARTRIDGE RESPIRATOR OR GAS MASK. WHEN USING IN P

ORLY VENTILATED

AND CONFINED SPACES, USE A FRESH-AIR SUPPLYING RESPIRATOR OR A SELF-CONTAINED BREATHING APPARATUS.

Ventilation:GENERAL MECHANICAL OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV.EQUIP MUST BE EXPLOSION PROOF.

Protective Gloves:IMPERVIOUS GLOVES IS ADVISED.

Eye Protection:CHEMICAL SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:IMPERMEABLE APRONS AND PROTECTIVE CLOTHING WHENEVER POSSIBLE TO PREVENT EXPOSURE OF SKIN.USE HEAD CAPS

WHENEVER POSSIBLE

Work Hygienic Practices:AFTER USING, WASH BEFORE EATING, TOILETING OR SMOKING.

Supplemental Safety and Health

DO NOT TAKE INTERNALLY, AVOID PROLONGED INHALATION. GROUND ALL CONNECTIONS, CONTAINERS, ETC WHEN POURING OR TRANSFERRING TO MINIMIZE STATIC ELECTRICITY.USE NON-SPARKING TOOLS.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:306F

Vapor Density:>AIR

Spec Gravity:2.1

Evaporation Rate & Reference:SLOWER THAN ETHER

So

lubility in Water:NOT WATER SOLUBLE

Appearance and Odor:PIGMENTED LIQUID. MILD SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:DO NOT EXPOSE TO HEAT OR IGNITION SOURCES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON DIOXIDE AND/OR MONOXIDE, LOW MOLEULAR WEIGHT HYDROCARBONS AND ORGANIC ACIDS.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP OUT OF DRAINS, SEWERS, AND WATERWAYS.

DISPOSE OF IN ACCORDANCE W/LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing

this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.