View NSN Online: https://aerobasegroup.de/nsn/3439-01-012-1756

Product ID:XUPER 185 XFC MSDS Date:03/15/1993 FSC:3439 NIIN:01-012-1756 MSDS Number: BHBCB === Responsible Party === Company Name: EUTECTIC CORPORATION Address:40-40 172ND STREET City:FLUSHING State:NY ZIP:11358-2799 Country:US Info Phone Num:718-358-4000 Emergency Phone Num:718-358-4000 CAGE:EO060 === Cont ractor Identification === Company Name: EUTECTIC CORP Address:9625-J SOUTHERN PINE BLVD Box:City:CHARLOTTE State:NC ZIP:28273 Country:US Phone:704-527-9800/ 800-221-1433 CAGE:72271 Company Name: EUTECTIC CORPORATION CAGE:EO060

Ingred Name:COPPER (DUST & MIST), BRONZE POWDER CAS:7440-50-8 RTECS #:GL5325000 Fraction by Wt: 40-50% Other REC Limits:1 MG(CU)/M3 (DUST) OSHA PEL:0.1 MG(CU)/M3 (FUME) ACGIH TLV:0.2 MG/M3 (FUME) EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ZINC CAS:7440-66-6 RTECS #:ZG8600000 Fraction by Wt: 30-40% ACGIH TLV:10 MG/CUM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:NICKEL (SOLUBLE) (SUSPECTED HUMAN CARCINOGEN BY NTP, IARC, ACGIH) INTENDED CHANGE (IC) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 10-15% Other REC Limits:1 MG/CUM OSHA PEL:1 MG/CUM ACGIH TLV:0.05 MG/CUM IC

Ingred Name:BORIC ACID, ORTHOBORIC ACID CAS:10043-35-3 RTECS #:ED4550000

Ingred Name:SODIUM TETRABORA TE DECAHYDRATE, SODIUM BORATE, BORAX, ANHYDROUS BORAX CAS:1303-96-4 RTECS #:VZ2275000 ACGIH TLV:5 MG/CUM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:INHALATION: NOSE & THROAT IRRITATION, DIZZINESS, NAUSEA, DRYNESS, LUNG & OTHER ORGAN DAMAGE, METAL FUME FEVER. EYES/SKIN: INJURY & BURNS, POSSIBLE CHEMICAL BURNS.

INGESTION: HARMFUL. Explanation of Carcinogenicity:SEE INGREDIENTS Effects of Overexposure:INHALATION: BRONCHIAL ASTHMA, LUNG FIBROSIS, PNEUMOCONIOSIS (IRON DEPOSITS IN LUNG).

First Aid:INHALATION: REMOVE TO FRESH AIR. SKIN: WASH W/SOAP & WATER TO REMOVE ALL RESIDUE. EYES: FLUSH THOROUGHLY W/WATER FOR AT LEAST 15 MINS TO REMOVE ALL RESIDUE. INGESTION: CALL PHYSICIAN OR POISON CONTROL CENTER. OBTAIN MEDICAL Flash Point:NONFLAMMABLE Extinguishing Media:CO2, DRY CHEMICAL FOAM TYPE Fire Fighting Procedures: WEAR APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: WELDING ARC & SPARKS & BRAZING FLAMES CAN **IGNITE COMBUSTIBLES & FLAMMABLES. CANS UNDER PRESSURE & FLAMMABLES** MAY EXPLODE. Handling and Storage Pr ecautions: FUMES, GASES & DUST GIVEN OFF DURING HEATING, WELDING, BRAZING, SOLDERING, CUTTING OR THERMAL SPRAY PROCESSES CANNOT BE CLASSIFIED SIMPLY. Other Precautions: ELECTRICAL SHOCK CAN KILL. TRAIN WELDER TO KEEP HIS/HER FACE AWAY FROM THE FUME/DUST PLUME. TRAIN WORKERS NOT TO TOUCH LIVE ELECTRICAL PARTS & TO INSULATE THEMSELVES FROM WORK & ELECTRICAL GROUND. Respiratory Protection: USE NIOSH APPROVED RESP **IRATOR** Ventilation: USE ENOUGH GENERAL & LOCAL EXHAUST AT WORK SITE TO KEEP ALL FUMES & DUST FROM WORKER'S BREATHING ZONE Protective Gloves:WELDER'S Eye Protection: HELMET OR FACE SHIELD W/FILTER LENS Other Protective Equipment: ARM PROTECTORS, APRONS, HATS, SHOULDER PROTECTION. PROVIDE PROTECTIVE SCREENS/FLASH GOGGLES. Supplemental Safety and Health COMPOSITON & QUANTITY OF FUMES/GASES ARE DEPENDENT UPON METAL BEING WELDED/PROCESS/PROCEDURES/ELECTRODES OR OTHER CONSUMABLES USED. OT HER INFLUENCES: COATINGS ON WORKPIECE, NUMBER OF WORKERS & VOLUME OF WORK SPACE, QUALITY/AMOUNT OF VENTILATION, POSITION OF WELDERS HEAD TO FUME PLUME & CONTAMINANTS IN ATMOSPHERE. Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:SPARKS & FLAMES

Hazardous Decomposition Products: FLUORIDE COMPOUNDS, METAL OXIDES, CO, CO2, SILICA, OZONE, NITROGEN OXIDES, & INERT GASES

====== Dis

posal Considerations ===============

Waste Disposal Methods:DISPOSE OF WASTE MATERIAL, POWDERS, GRINDING OR FILTER IN ENVIRONMENTALLY SENSITIVE MANNER IN ACCORDANCE W/FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and d

isclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.