

SUN REFINING AND MARKETING CO -- SR ATF DEXRON II -- 9150-00-657-4959

=====  
Product Identification  
=====

Product ID:SR ATF DEXRON II

MSDS Date:07/10/1989

FSC:9150

NIIN:00-657-4959

MSDS Number: BHBGS

=== Responsible Party ===

Company Name:SUN REFINING AND MARKETING CO

Address:1801 MARKET ST.TEN PENN CENTER; 18 FLOOR

City:PHILADELPHIA

State:PA

ZIP:19103

Country:US

Info Phone Num:215-447-1852

Emerge

ncy Phone Num:215-447-1852

Preparer's Name:RAMONA RANSOM

CAGE:8X531

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:SUN REFINING AND MARKETING COMPANY

Address:1801 MARKET ST,TEN PENN CTR

Box:City:PHILADELPHIA

State:PA

ZIP:19103-1699

Country:US

Phone:215-977-6133

CAGE:8X531

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SEVERELY

SOLVENT REFINED LIGHT PARAFFINIC PETROLEUM OIL.

CAS:64741-89-5

RTECS #:PY8041500

Other REC Limits:SEE ABOVE #01

ACGIH TLV:SEE ABOVE #01

Ingred Name:SEVERELY SOLVENTS REFINED HEAVY PARAFFINIC PETROLEUM OIL

CAS:64741-88-4

RTECS #:PY8040500

Other REC Limits:SEE ABOVE #01

ACGIH TLV:SEE ABOVE #01

Ingred Name:CHEMICALLY NEUTRALIZED, SEVERELY HYDROTREATED,HEAVY  
NAPHTHENIC PETROLEUM OIL

CAS:64742-52-5

RTECS #:PY8035000

Other REC Limits:SEE ABOVE #01

ACGIH TLV:SEE ABOVE #01

Ingred Name:MANUFACTUR

ER DID NOT FURNISH TLVS; HMIS SUGGESTS THAT

FOLLOWING EXPOSURE LIMITS BE USED FOR THE ABOVE PRODUCTS 1 THRU 3.

CAS:64741-89-5

RTECS #:9999999ZZ

Other REC Limits:5MG/M3 (PER MFR)

ACGIH TLV:5MG/M3,STEL;10MG/M3

Ingred Name:METHACRYLATE COPOLYMER

Ingred Name:ORGANOMETALLIC COMPOUNDS (ADDITIVES)

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50 >15 GRAMS/KG BODY WEIGHT

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinog

enicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS MINIMALLY

IRRITATING,REQUIRING PROLONGED/REPEATED SKIN CONTACT FOR ANY

NOTICEABLE EFFECT. VOLATILITY IS VERY LOW AND PRODUCT IS

PRACTICALLY NON-TOXIC BY INHALATION

Effects of Overexposure:INHALATION:EXCESSIVE EXPOSURE MAY CAUSE

IRRITATION TO NOSE/THROAT.SKIN:PRACICALLY NON-TOXIC IF

ABSORBED.PROLONGED OR REPEATED CONTACT MAY REMOVE NATURAL OILS AND

FATS FROM SKIN. EYES:MAY CAUSE MODERAT E/MILD IR

IRITATION.

INGESTION:HARMFUL ORFATAL IF SWALLOWED. PULMONARY ASPIRATION HAZARD IF INGESTED AND VOMITING OCCURS.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES.GET MEDICAL HELP IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP & WATER UNTIL NO ODOR REMAINS. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT GIVE LIQUID.DO NOT INDUCE VOMITING.GET MEDICAL HELP IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>200

Autoignition Temp:Autoignition Temp Text:650F

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG.

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PROTECTIVE GEARS DURING CLEAN UP. ELIMINATE IGNITION SOURCES.

CONTAIN SPILL.ABSORB SMALL SPILLS

WITH INERT ABSORBENT.PLACE WASTE ABSORBED MATERIAL IN CLOSED CONTAINERS.DIKE FAR AHEAD LARGE SPILLS. REMOVE FREE LIQUID AND KEEP IN DRUMS.

Neutralizing Agent:NONE

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED AREA.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR EQUIPPED

WITH  
CARTRIDGE FOR ORGANIC VAPORS/MISTS OR SUPPLIED AIR RESPIRATOR IF  
EXPOSED ABOVE TLV/PEL.

Ventilation:USE NORMAL ROOM VENTILATION.

Protective Gloves:RUBBER,PLASTIC,OTHER IMPERVIOUS.

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES.

Other Protective Equipment:CLOTHING AS NEEDED TO PREVENT  
PROLONGED/REPEATED CONTACT.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID ALL  
UNNECESSARY CONTACT.

Supplemental Safety and Health

SUN CODE R00000144400 IS FOR MSDS.

=====

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:HIGH

Vapor Density:>10

Spec Gravity:0.87

Evaporation Rate & Reference: