

EVEREADY BATTERY COMPANY,INC. -- ENERGIZER,ALKALINE TYPE 522 -- 6135-00-900-2139

=====
Product Identification
=====

Product ID:ENERGIZER,ALKALINE TYPE 522

MSDS Date:01/03/1989

FSC:6135

NIIN:00-900-2139

MSDS Number: BHBGY

=== Responsible Party ===

Company Name:EVEREADY BATTERY COMPANY,INC.

Address:CHECKERBOARD SQUARE

City:ST LOUIS

State:MO

ZIP:63164

Country:US

Info Phone Num:216-634-7896

Emergency

Phone Num:202-625-3333/NATL BATT INGEST HOTLN

CAGE:83740

=== Contractor Identification ===

Company Name:EVEREADY BATTERY CO INC

Address:CHECKERBOARD SQ

Box:City:ST LOUIS

State:MO

ZIP:63164

Country:US

Phone:216-835-7368

CAGE:83740

=====
Composition/Information on Ingredients
=====

Ingred Name:MANGANESE DIOXIDE (AS MANGANESE)

CAS:1313-13-9

RTECS #:OP0350000

Fraction by Wt: 18-50%

Other REC Limits:NOT ESTABLISHED

OSHA PEL:C,5 MG/M3/1 FUME TWA

ACGIH TLV:5 MG/M3 DUST/1 FUME

In

gred Name:ZINC (SARA III)
CAS:7440-66-6
RTECS #:ZG8600000
Fraction by Wt: 5-22%
OSHA PEL:10 MG ZNO/M3
ACGIH TLV:10 MG ZNO/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:POTASSIUM HYDROXIDE (SARA III)
CAS:1310-58-3
RTECS #:TT2100000
Fraction by Wt: 3-10%
OSHA PEL:C, 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:GRAPHITE, NATURAL
CAS:7782-42-5
RTECS #:MD9659600
Fraction by Wt: 1-8%
OSHA PEL:15 MPPCF RDUST
ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:MERCURY (SARA III)
CAS:7439-97-6
RTECS #:OV4550000
Fraction by Wt: 0.1-O.5%
OSHA PEL:S, C, 0.1 MG/M3
ACGIH TLV:S, 0.05 MG/M3; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:REPEATED EXPOSURE TO BATTERY CONTENTS
MAY AFFECT THE CENTRAL NERVOUS SYSTEM WITH SYMPTOMS
INDISTINGUISHA

BLE FROM PARKINSONISM.

Effects of Overexposure:EYES:REDNESS,IRRITATION,BURNS OF CORNEA.

SKIN:REDNESS,SWELLING,BURNS.NO EVIDENCE OF SKIN ABSORPTION.

INHALATION:RESPIRATORY IRRITATION. INGESTION:SEVERE

BURNS,SS,DROWSINESS,CIRCULATORY COLLAPSE,COMA.

Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS. BREATHING MAY AGGRAVATE ASTHMA AND INFLAMMATORY OR FIBROTIC PULMONARY DISEASE. PROLONGED/REPEATED EXPOSURE MAY AGGRAVATE EXISTING NEUROLOGICAL CONDITION

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR AT LEAST 15 MINUTES.SEE DOCTOR URGENTLY. SKIN:REMOVE CONTAMINATED CLOTHING.WASH THOROUGHLY WITH SOAP AND WATER.IF IRRITATION PERSISTS,SEE DOCTOR. INHALATION:REMOVE TO FRESH A LY.

=====
===== Fire Fighting Measures =====

Extinguishing Media:AS APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND

PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:BATTERIES MAY RUPTURE IN HEAT OF FIRE.

BATTERIES EVOLVE HYDROGEN WHICH WHEN COMBINED WITH OXYGEN FROM THE AIR,CAN PROVIDE A COMBUSTIBLE OR EXPLOSIVE MIXTURE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STACK MORE THAN 5 FT HIGH INCLUDING PALLET,AND NO MORE THAN 3 PALLETS HIGH. DO NOT SEAL THESE BATTERIES IN AIRTIGHT OR WATERTIGHT CONTAINERS.

Other Precautions

:AVOID PROLONGED SHORT CIRCUIT,SINCE BATTERY WILL LOSE ENERGY AND,AT HIGH TEMPERATURES,CAN EVEN RUPTURE.IF SOLDERING OR WELDING IS REQUIRED,CONSULT YOUR EVEREADY BATTERY REPRESENTATIVE.DO NOT RECHARGE BATTERY,IT MAY LEAK AND EXPLODE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NECESSARY UNDER NORMAL CONDITIONS.

Ventilation:NO SPECIAL REQUIREMENTS.

Protective Gloves:NEOPRENE OR RUBBER IF BATTERY LEAKS.

Eye Protection:NOT REQUIRED U

UNDER NORMAL CONDITIONS.

Other Protective Equipment:NONE.

Supplemental Safety and Health

DO NOT DISPOSE IN FIRE,RECHARGE,PUT IN BACKWARDS,MIX WITH USED OR OTHER BATTERY TYPES--MAY EXPLODE,LEAK AND CAUSE PERSONAL INJURY.

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:BATTERY,RECTANGULAR WITH ROUNDED CORNERS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to A

void:HEAT,SPARKS,OPEN FLAMES

Hazardous Decomposition Products:HYDROGEN,POTASSIUM HYDROXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.

DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE AND LOCAL REGULATIONS.-- DO NOT INCINERATE! --

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.