

HERNON MANUFACTURING INC. -- ANAEROBIC ID 234 -- 8030-01-024-9584

=====
Product Identification
=====

Product ID:ANAEROBIC ID 234

MSDS Date:10/10/1988

FSC:8030

NIIN:01-024-9584

MSDS Number: BHC GS

=== Responsible Party ===

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NJ

ZIP:11208-5220

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-3000

Prep

Preparer's Name:JOSEF ARNON

CAGE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingredient Name:POLYGLYCOL DIMETHACRYLATES

Fraction by Wt: 40-45%

OSHA PEL:NONE LISTE

D
ACGIH TLV:NONE LISTED

Ingred Name:BIS-PHENOL A FURMARATE RESINS
Fraction by Wt: 30-35%
OSHA PEL:NONE LISTED
ACGIH TLV:NONE LISTED

Ingred Name:POLYGLYCOL DIOCTOATES
Fraction by Wt: 15-20%
OSHA PEL:NONE LISTED
ACGIH TLV:NONE LISTED

Ingred Name:1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE)
(SARA III)
CAS:80-15-9
RTECS #:MX2450000
Fraction by Wt: 4%
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:N,N-DIALKYL TOLUIDINES
Fraction by Wt: 2000 MG/KG *IN A
SINGLE TEST, PURE
CUMENE HYDROPEROXIDE CAUSED TUMORS IN ONE OF
THIRTY EXPERIMENTAL ANIMALS WHEN INJECTED UNDER THE SKIN.
**SACCHARIN HAS BEEN SHOWN TO CAUSE TUMORS I N EXPERIMENTAL ANIMALS
WHEN FED IN LARGE AMOUNTS FOR PROLONGE PERIODS. TECH JUDGEMENT THAT
THIS PROD POSES NO HAZARDS.
Explanation of Carcinogenicity:NONE LISTED
Effects of Overexposure:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN
SENSITIVE INDIVIDUALS.
Medical Cond Aggravated by Exposure:SEE ABOVE.

=====
Aid Measures =====

First Aid:DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL
ATTENTION. INHALATION DOES NOT APPLY. SKIN CONTACT FLUSH WITH
WATER. EYE CONTACT FLUSH WITH WATER.

=====
Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:200F/33.89C
Lower Limits:DNA
Upper Limits:DNA
Extinguishing Media:CO2, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:NONE LISTED.
Unusual Fire/Explosion Hazard:NONE

=====

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN AN INERT ABSORBENT. STORE IN PARTLY-FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110F TO PRESERVE SHELF-LIFE. AVOID PROLONGED SKIN CONTACT.

Other Precautions:TLV DOES NOT APPLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE LISTED.

Vent

ilation:NOT NORMALLY NECESSARY.

Protective Gloves:RUBBER OR PLASTIC GLOVES RECOMMENDED.

Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED.

Other Protective Equipment:NONE LISTED.

Work Hygienic Practices:NONE LISTED.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>300F

Vapor Pres: