

SPECTRUM CHEMICAL MANUFACTURING CORP. -- FORMALDEHYDE SOLUTION, 37%; (15% METHANOL) -- 6750-00-053-8364

=====
===== Product Identification =====

Product ID: FORMALDEHYDE SOLUTION, 37%; (15% METHANOL)

MSDS Date: 11/24/1986

FSC: 6750

NIIN: 00-053-8364

MSDS Number: BHCHZ

=== Responsible Party ===

Company Name: SPECTRUM CHEMICAL MANUFACTURING CORP.

Address: 14422 SOUTH SAN PEDRO STREET

City: GARDENA

State: CA

ZIP: 9

0248-2027

Country: US

Info Phone Num: 213-516-8000

Emergency Phone Num: 213-516-8000

CAGE: 63415

=== Contractor Identification ===

Company Name: CHEMICAL COMMODITIES AGENCY, INC.

Address: 27447 PACIFIC STREET

Box: City: HIGHLAND

State: CA

ZIP: 92346-2640

Country: US

Phone: 909-864-2310

CAGE: 60777

Company Name: SPECTRUM LABORATORY PRODUCTS INC

Address: 14422 S SAN PEDRO ST

Box: City: GARDENA

State: CA

ZIP: 90248-2027

Country: US

Phone: 310-516-8000/FAX: 310-516-9843

CAGE: 63415

=====
===== Composition/Information =====

on Ingredients =====

Ingred Name:FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000

= Wt:37.

OSHA PEL:SEE 1910.1048

ACGIH TLV:C 0.3 PPM; A2; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

= Wt:15.

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

= Wt:48.

===== Hazards Identification ==

=====

LD50 LC50 Mixture:ORAL RAT LD50 = 800 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:ACUTE: INHALATION: MAY CAUSE TISSUE

DAMAGE AND SERIOUS RESPIRATORY TRACT INJURY. SKIN: MAY CAUSE BURNS.

EYES: MAY CAUSE PROFUSE LACRIMATION AND OCULAR DAMAGE. INGESTION:

MAY CAUSE BURNING IN THE MOUTH AND ESOPHAGUS. MAY CAUSE LIVER AND

KIDNEY DAMAGE. MAY COUSE DEATH FRO

M CIRCULATORY FAILURE. CHRONIC:

SAME AS ACUTE.

Explanation of Carcinogenicity:STUDIES SHOW THAT REPEATED EXPOSURE TO

LEVELS UP TO 14.3 PPM INDUCED NASAL CAVITY SQUAMOUS CELL CARCINOMA

IN RATS.

Effects of Overexposure:INHALATION: MAY CAUSE EYE, NOSE & THROAT

IRRITATION. MAY CAUSE DIFFICULTY IN BREATHING, BURNING OF THE NOSE

& THROAT; OR EVEN PULMONARY EDEMA AND PNEUMONITIS. SKIN & EYES:

IRRITATION, SENSITIZATION DE RMATITIS, LOSS OF VISION. INGESTION:

JAUNDICE, ALBUMIN

URIA, HEMATURIA, ANURIA AND ACIDOSIS. MAY CAUSE DEATH.

Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN OR EYE DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE. PERSONS WITH LIVER, KIDNEY AND RESPIRATORY DISORDERS MAY ALSO BE AT INCREASED RISK.

===== First Aid Measures =====

First Aid: INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. IF BREATHING HAS STOPPED, GIVE CPR. GET IMMEDIATE MEDICAL CARE. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AFFECTED AREA WITH SOAP & WATER. LAUNDRER CLOTHS BEFORE REUSE. GET MEDICAL CARE. EYE: WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL CARE. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK OR WATER. GET MEDICAL CARE.

===== Fire Fighting Measures =====

Flash Point Method: CC
Flash Point: 122F, 50C
Autoignition Temp: Autoignition Temp Text: 806F
Lower Limits: 7
Upper Limits: 73
Extinguishing Media: USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard: CONTAINERS MAY BURST WHEN EXPOSED TO HEAT OF FIRE. MAY EMIT TOXIC VAPORS UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures: TAKE UP WITH SAND OR OTHER ABSORBENT MATERIAL.

APPLY UNIVERSAL GELLING AGENT TO IMMOBILIZE SPILL AS REQUIRED. VENTILATE AND EVACUATE AREA. ELIMINATE ALL SOURCES OF IGNITION. NEUTRALIZE & WASH RESIDUE WITH WATER. PLACE INTO DISPOSAL CONTAINER.

Neutralizing Agent: CEMENT POWDER OR FLY ASH

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM IGNITION SOURCES. KEEP CONTAINER CLOSED WHEN NOT IN USE. PR

OTECT AGAINST PHYSICAL DAMAGE.

Other Precautions:MAY BE IGNITED BY HEAT, SPARKS OR FLAMES. CONTAINER MAY EXPLODE IN HEAT OF FIRE. VAPOR EXPLOSION HAZARD INDOORS, OUTDOORS OR IN SEWERS. RUN-OFF TO SEWER MAY CREATE FIRE OR EXPLOSION HAZARD.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELECT NIOSH/MSHA APPROVED RESPIRATOR BASED ON CONTAMINATION LEVELS FOUND IN THE WORK PLACE. SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED AIR RESPIRATOR IS RECOMMENDED FOR MOST CASES.

Ventilation:PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO MEET PEL/TLV. USE EXPLOSION-PROOF EQUIPMENT.

Protective Gloves:BUTYL OR NITRILE RUBBER.

Eye Protection:SPLASH PROOF SAFETY GOGGLES/FACESHIELD.

Other Protective Equipment:PROTECTIVE CLOTHING AND EQUIPMENT TO PREVENT ANY POSSIBILITY OF SKIN CONTACT. EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING OR SMOKING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS MATERIAL CONTAINS METHANOL WHICH MAY CAUSE BLINDNESS AND/OR DEATH IF INGESTED. HCC WAS DETERMINED BASED ON HIERCHY TABLE B-3 IN DLAI 4145.11/TM 38-410/NAVSUP PUB 573/AFJMAN 23-209/MCO 4450.12A

=====
===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:205F,96C

Melt/Freeze Pt:M.P/F.P Text:5F,-15C

Vapor Density:1.0

Spec Gravity:1.03

pH:2.8/4.

Solubility in Water:COMPLETE

Appearance and

Odor:CLEAR COLORLESS LIQUID, PUNGENT ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, ACIDS, BASES, ANILINE, PHENOL

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE UNBURNED FORMALDEHYDE, UNBURNED METHYL ALCOHOL, AND OXIDES OF CARBON.

Conditions to Avoid Polymerization:MAY UNDERGO A NON-HAZARDOUS

SELF-POLYMERIZATION TO FORM PARAFORMALDEHYDE OR MAY REACT VIOLENTLY WITH ANILINE OR PHENOL.

===== Toxicological Information =====

Toxicological Information:NOT PROVIDED

===== Ecological Information =====

Ecological:NOT PROVIDED

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS. INCINERATION RECOMMENDED.

=====

===== MSDS Transport Information =====

Transport Information:NOT PROVIDED

===== Regulatory Information =====

SARA Title III Information:NOT PROVIDED
Federal Regulatory Information:NOT PROVIDED
State Regulatory Information:NOT PROVIDED

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.