

DAMPNEY CO,INC. -- ENDCOR RUST RINSE;PRODUCT CODE:450 -- 6850-01-208-7538

=====  
Product Identification  
=====

Product ID:ENDCOR RUST RINSE;PRODUCT CODE:450

MSDS Date:09/21/1990

FSC:6850

NIIN:01-208-7538

MSDS Number: BHCPQ

=== Responsible Party ===

Company Name:DAMPNEY CO,INC.

Address:85-PARIS STRET

City:EVERETT

State:MA

ZIP:02149-4411

Country:US

Info Phone Num:617-389-2805

Emergency Phone Num:617-3

89-2805

Preparer's Name:ROBERT WARREN,CHEMIST

CAGE:60549

=== Contractor Identification ===

Company Name:DAMPNEY CO,INC.

Address:85-PARIS STRET

City:EVERETT

State:MA

ZIP:02149-4411

Country:US

Phone:617-389-2805

CAGE:60549

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 25%

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000

Fraction by

Wt: 33%  
OSHA PEL:1 MG/M3/3 STEL  
ACGIH TLV:1 MG/M3/3 STEL; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:CORROSIVE TO ALL BODY  
TISSUES:IRRITATION/BURNS/REDNESS OF EYES,SKIN,RESPIRATORY AND  
G.I.TRACT;CNS EFFECTS LIKE HEADACHE,DIZZINESS,NAUSEA  
VOMITTING,UNCONSCIOUSNESS;CHRONIC:DERMATITIS;ANEMIA;LIVER  
,KIDNEY,LUNG,DAMAGE  
OR BLOOD/LIVERR ABNORMALITIES.  
Explanation of Carcinogenicity:DATA PER MSDS  
Effects of Overexposure:SEE HEALTH HAZARDS DATA  
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN.

=====  
===== First Aid Measures =====

First Aid:EYSE AND SKIN:FLUSH WITH PLENTY OF WATER FOR ABOUT 15  
MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO  
FRESH AIR,CALL A PHYSICIAN.INGESTION:SEEK MEDICAL HELP IMMEDIATELY,

=====  
= Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:155F,68C  
Lower Limits:1.1  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.  
Unusual Fire/Explosion Hazard:CAN REACT WITH METALS,MAY FORM HYDROGEN  
GAS,FLAMMABLE OR EXPLOSIVE MIXTURE;AVOID EXTREME  
HEAT.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE  
LIQUID IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND  
RECOVER FOR PROPER DISPOSAL.  
Neutralizing Agent:SODA ASH

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN PLASTIC OR STAINLESS STEEL  
CONTAINER.  
Other Precautions:AVIOD CONTACT WITH EYES AND SKIN;DO NOT TAKE  
INTERNA

LLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR USE SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PER/TLV IF ABOVE THE LIMITS;USE LOCAL EXHAUST IN AN ENCLOSED AREA

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:IMPERVIOUS CLOTHING,EYE WASH FACILITIES AND SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT USE CONTAMINATED CLOTHES.

Supplemental Safety and Health DO NOT USE CONTACT LENSES.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:309F,154C

Vapor Density:>1.0,AIR=1

Spec Gravity:1.16

Evaporation Rate & Reference:0.3(N-BUTYL ACETATE = 1)

Solubility in Water:SOLUBLE

Appearance and Odor:CLEAR LIQUID

Percent Volatiles by Volume:74.3

===== Stability and Reactivity Data =====

Stability Indicator

Materials to Avoid:YES

METALS,BASES,OXIDES.

Stability Condition to Avoid:EXTREMELY HIGH TEMPERATURES

Hazardous Decomposition Products:TOXIC VAPORS.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT THE LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of

Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.