View NSN Online: https://aerobasegroup.com/nsn/8010-00-527-3200

## EVERSEAL MFG CO INC -- 12197 ORANGE ENAMEL TT-E-489 -- 8010-00-527-3200

Product ID:12197 ORANGE ENAMEL TT-E-489

MSDS Date:01/21/1987

FSC:8010

NIIN:00-527-3200

MSDS Number: BHDMT === Responsible Party ===

Company Name: EVERSEAL MFG CO INC

Address:475 BROAD AVE

City:RIDGEFIELD

State:NJ

ZIP:07657-2329 Country:US

Info Phone Num:201-943-4986 / FAX 201-943-1123

Emergen

cy Phone Num:201-943-4986

CAGE:72988

=== Contractor Identification ===

Company Name: EVERSEAL MFG CO INC

Address:475 BROAD AVE Box:City:RIDGEFIELD

State:NJ

ZIP:07657-2329 Country:US

Phone:201-943-4986

CAGE:72988

======= Composition/Information on Ingredients ========

Ingred Name: DNA ORANGE

CAS:3468-63-1

RTECS #:QL3854000 Fraction by Wt: 10% ACGIH TLV:NA

Ingred Name:YELLOW IRON OXIDE

CAS:1309-37-1 Fraction by Wt: 1.5%

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Na

Fraction by Wt: 36% **ACGIH TLV:NA** Ingred Name: MINERAL SPIRITS RULE 66 CAS:64742-88-7 Fraction by Wt: 50% ACGIH TLV:100 PPM ============= Hazards Identification ======================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic: INHAL; HIGH VAPOR CONCENTRATION MAY HAVE RESULTS OF DIZZINESS, HEADACHES, UN- CONSCIOUSNESS. PROLONGED OR REPEATED LIQUID CONTACT, WILL DRY, DEFAT SKIN, LEAD TO IRRITATION AND DER **MATITIS** Effects of Overexposure: DRY AND DEFAT SKIN, LEADING TO IRRITATION AND **DERMATITIS** Medical Cond Aggravated by Exposure: TROUBLE BREATHING, BREATHING, SKIN AND EYES First Aid:OVERCOME BY VAPOR, REMOVE FROM EXPOSURE, SEEK A PHYSICIAN. IF BREATHING IS IRRECGULAR OR STOPPED, START RESUSCITATION, ADMINISTER OXYGEN. INGESTED; DO NOT INDUCE VOMITING; CALL A PHYSICIAN. SKIN CONTA CT; REMOVE ANY CONTA MINATED CLOTHS ANDWASH SKIN W/SOAP & WTR 15 MIN. OR UNTIL IRRITATION SUBSIDES Flash Point Method:TCC Flash Point: 105 F / 40.56 Extinguishing Media: FOAM, CO2, DRY CHEMICAL Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS. WATER

MAY BE UNSUITABLE EXCEPT AS A COOLING AGENT

me:TTR266 TYPE III ALKYD

========= Accidental Release Measures ============

Spill Release Procedures: REMOVE ALL IGNITION SOURCES. KEEP PE

**OPLE** RECOVER FREE LIQUID. ADD ABSORBENT (SAND, EARTH, SAWDUST, ETC.) TO SPILL AREA. AVOID BREATHING. VENTILATE SPACES. KEEP PETROLEUM PRODUCTS OUT OF SEWERS AND WATER COURSES ============= Handling and Storage ========================== Other Precautions: AVOID BREATHING VAPORS, AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. REMOVE CONTAMINATED CLOTHING AND LAUNDER **BEFORE REUSE** ====== Exposure Controls/Personal Protection ======== Respiratory Protect ion:USE HYDROCARBON VAPOR CANISTER OF SUPPLIED AIR RESPIRATORY PROTECTION IN CON- FINED OR ENCLOSED SPACES IF NEEDED Ventilation: USE EXPLOSION PROOF EQUIPMENT Protective Gloves: CHEMICAL RESISTANT GLOVES Eye Protection: SPLASH GOGGLES OR FACE SHEILD Other Protective Equipment: CHEMICAL RESISTANT APRON OR OTHER CLOTHING IF NEEDED TO AVOID PROLONGED SKIN CONTACT Supplemental Safety and Health AVOID BREATHING VAPORS. PROLONGED REPEATED CONTACT WITH SKIN ======= Physical/Chem ical Properties ======== HCC:F4 Boiling Pt:B.P. Text:326-387 Vapor Pres:5MM Evaporation Rate & Dr. Reference:.1 Appearance and Odor:STANDARD PAINT ODOR

Vapor Density:4.9 Spec Gravity:.95

Percent Volatiles by Volume:25

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS; LIQUID CHLORINE, CONCENTRATED OXYGEN, SOD-IUM OR CALCIUM HYPOCHLORID

Hazardous Decomposition Products: FUMES, SMOKE & CARBON MONOXIDE, I

## N THE CASE OF INCOMPLETE COMBUSTION

======= Disposal Considerations ===========

Waste Disposal Methods: ASSURE CONFORMITY WITH APPLICABLE DISPOSAL REGULA-TIONS. DISPOSE ABSORBED MATERIAL AT DISPOSAL SITE OR FACILITY

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.