View NSN Online: https://aerobasegroup.de/nsn/7930-00-559-9481

JONES-HAMILTON COMPANY -- SODIUM BISULFATE -- 7930-00-559-9481

Product ID:SODIUM BISULFATE MSDS Date:04/07/1986 FSC:7930 NIIN:00-559-9481 **MSDS Number: BHDNH** === Responsible Party === Company Name: JONES-HAMILTON COMPANY Address:8400 ENTERPRISE DRIVE **City:NEWARK** State:CA ZIP:94560 Country:US Info Phone Num:419-666-9838 Emergency Phone Num:415-797-2471 CAGE:OMD27 == = Contractor Identification === Company Name: JONES-HAMILTON COMPANY Address:8400 ENTERPRISE DRIVE Box:City:NEWARK State:CA ZIP:94560 Country:US Phone:415-797-2471 CAGE:OMD27 Ingred Name:SODIUM BISULFATE ANHYDROUS GLOBULAN CAS:7681-38-1 RTECS #:VZ1860000 Fraction by Wt: 94.5%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicit

y:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NOT LISTED Effects of Overexposure:EYE: WATERING SKIN: MILD BURNS, MILD TO SEVERE IRRITANT INHAL: IRRITANT, MILD BURNING SENSATION MAY OCCUR TO MUCOUS MEMBRANES & UPPERRESPRITORY TRACT.; INGST: IRRITANT

First Aid:EYES: FLUSH THOROUGHLY W/WTR FOR 15 MINS. GET PROMPT MEDICAL ATTENTION SKIN: FLUSH W/WTR FOR 15 MINS. IF BU

RNS OCCUR

OBTAIN MEDICAL ATTENTION INHAL: REMOVE TO FRESH AIR.INGST: DRINK LG QTY OF WATER/MILK, FOLLOW W/MILK OF MAGNESIA, BEATEN EGGS OR VEGETABLE OIL. DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY

Flash Point:NR

Extinguishing Media:WATER OR DRY CHEMICAL AS APPROPRIATE FOR COMBUSTIBLE IN AREA Eiro Eighting Procedures:SELE CONTAINED BREATHING APPARATUS SHOUL

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN. IF WTR IS USED TO

EXTINGUISH COMBUSTIBLES & PRODUCTIS

DISSOLVED IN WTR FORMING SULFURIC ACID USE PROTCT EQUIP Unusual Fire/Explosion Hazard:PRODUCT READILY DISSOLVES IN WTR TO FORM A WEAK SULFURIC ACID SOLUTION. NO GASESOR TOXIC FUMES ARE EMITTED FROM THIS REACTION, TAKE PRECAUTIONS FROM EXPOSURE.

Spill Release Procedures:SMALL:MATL IS A GRANULAR PRODUCT & CAN BE SWEPT UPFROM SURFACES.;LARGE: PICK UP AS MUCH AS POSSIBLE W/SHOVEL OR OTHER TOOL.NEUTRALIZE BALANCE OF SPILLW/WEAK ALKALINE SOLUTION,& WASH DOWN TO SEWER IF FEDERAL,STATE,& LOCAL REGULATION PERMIT.

Handling and Storage Precautions: AVOID CONTACT W/SKIN, EYES, OR CLOTHING.
DONOT STOREWHERE EXPOSED TO MOIST CONDITIONS. KEEP
CONTAINERSTIGHTLY CLOSED. KEEP AWAY FROM STRONG ALKALIES.
Other Precautions: WEAR ALL RECOMMENDED PROTECTIVE EQUIPMENT WHEN HANDLING.

====== Expos

ure Controls/Personal Protection =========

Respiratory Protection: NIOSH OR MSHA CERTIFIED DUST MASK SHOULD BE WORN WHILE HANDLING PRODUCT Ventilation: LOCAL VENTILATION TO A DUST COLLECTOR IS RECOMMENDED Protective Gloves: RUBBER OR NEOPRENE Eye Protection: SAFETY GOGGLES OR FULL FACESHIELD Other Protective Equipment: CLOTHES SHOULD COMPLETELY COVER SKIN TO AVOID SKIN CONTACT. COATS, COVERALLS, OR APRONS ARE RECOMMENDED Work Hygienic Practices: USE COMMON SENSE AND CARE AROUND CHEMICALS Supplemental Safety and Health NK Boiling Pt:B.P. Text:350F Vapor Pres:NA Vapor Density:NA Evaporation Rate & amp; Reference:NA Solubility in Water:100 Appearance and Odor: OFF WHITE, BEAD LIKE, GRANULAR, DRY MATERIAL Stability Indicator/Materials to Avoid:YES AVOID CONTACT W/STRONG ALKALINE MATL SUCH AS CAUSTIC. REACTSW/WTR TO FORM WEAK SULFURIC ACID SO LUTION Stability Condition to Avoid:STORE IN DRY AREA TO AVOID MOISTURE CONTACT Hazardous Decomposition Products: NONE UNLESS HEATED OVER 570F AT WHICH SULFUR DIOXIDE, SULFUR TRIOXIDE ARE FORMED

Waste Disposal Methods:COMPLY WITH ALL THE FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Departm ent

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.