

GLIDDEN COMPANY -- WALL CEILING PT. WHITE ID 9020 -- 8010-00-598-5733

=====
Product Identification
=====

Product ID:WALL CEILING PT. WHITE ID 9020

MSDS Date:01/08/1988

FSC:8010

NIIN:00-598-5733

MSDS Number: BHDQG

=== Responsible Party ===

Company Name:GLIDDEN COMPANY

Address:925 EUCLID AVENUE

Box:NA

City:CLEVELAND

State:OH

ZIP:44115

Country:US

Info Phone Num:216-826-5566

Emergency Phone Num:216-

826-5566

CAGE:01PD6

=== Contractor Identification ===

Company Name:GLIDDEN CO MEMBER OF ICI WORLD PAINTS

Address:925 EUCLID AVE

Box:15049

City:CLEVELAND

State:OH

ZIP:44115

Country:US

Phone:216-344-8000

CAGE:72818

Company Name:GLIDDEN PAINT, ICI PAINTS NORTH AMERICA

Address:925 EUCLID AVE

Box:City:CLEVELAND

State:OH

ZIP:44115

Country:US

Phone:800-545-2643/216-344-8207

CAGE:01PD6

=====
Composition/Information on Ingredients
=====

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTEC

S #:XR2275000
Fraction by Wt: 6%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:ALUMINUM SILICATE (AS NUISANCE DUST OR PARTICULATES NOT OTHERWISE REGULATED)

CAS:1302-76-7
RTECS #:BD1450000
Fraction by Wt: 16%
OSHA PEL:15 MG/M3 TOTAL DUST
ACGIH TLV:10 MG/M3 TDUST;8990

Ingred Name:TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6
RTECS #:WW2710000
Fraction by Wt: 9%
OSHA PEL:2 MG/M3 RDUST
ACGIH TLV:2 MG/M3 RDUST; 9192

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:IRRITATION OF EYES, SKIN, RESPIRATORY TRACT
Medical Cond Aggravated by Exposure:NOT DETERMINED

=====
===== First Aid Measures =====
=====

First Aid:INGEST: OBTAIN MEDICAL TREATMENT IMMEDIATELY. EYE: FLUSH IMMEDIATELY W/LG AMOUNT OF WATER. ESPECIALLY UNDER LIDS FOR 15 MINUTES. OBTAIN EMERGENCY TREATMENT SKIN: WASH OFF QUICKLY W/PLENTRY OF WATER . THEN SOAP & WATER, REMOVE CONTAMINATED CLOTHING. INHAL: REMOVE TO FRESH AIR. RESTORE & SUPPORT CONTINUED BREATHING. HAVE TRAINED PERSON GIVE OXYGEN IF NECESSARY. GET MEDICAL EMERGENCY ATTENTION.

=====
===== Fire Fighting Measures =====
=====

Flash Point:200F/94C
Extinguishing Media:DRY CHEMICAL OR FOAM
Fire Fighting Procedures:WATER MAY BE USED TO COOL AND PROTECT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:CLOS

ED CONTAINERS MAY BURST IF EXPOSED TO
EXTREME HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures: VENTILATE AREA. COMPLY WITH ALL APPLICABLE
HEALTH AND ENVIRONMENTAL REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions: STORE BELOW 100F. KEEP CONTAINERS
TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE. IF SANDING IS DONE,
WEAR A DUSTMASK TO AVOID BREATHING THE DUST.

Other Precautions: DO NOT TAKE INTERNALLY. AVOID CONTACT WITH SKIN AND
EYES, AND BREATHING OF VAPORS. KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: CONTROL ENVIRONMENTAL CONCENTRATIONS BELOW
APPLICABLE STANDARDS. WHERE RESPIRATORY PROTECTION IS REQUIRED.
USE IN ACCORDANCE WITH OSHA 29 CFR 1910-134.

Ventilation: LOCAL EXHAUST TO PREVENT BUILD UP OF VAPORS.

Eye Protection: SAFETY GLASSES/GOGGLES

Other Protective

Equipment: EYE WASH, SAFETY SHOWER

Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING,
ESPECIALLY BEFORE EATING OR SMOKING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Appearance and Odor: LIQUID, WHITE

Percent Volatiles by Volume: 78.02

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NOT DETERMINED

Stability Condition to Avoid: NOT DETERMINED

Hazardous Dec

Composition Products: CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH STATE, FEDERAL, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.