View NSN Online: https://aerobasegroup.de/nsn/2915-00-762-8007

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- MANGANESE DIOXIDE DISPERSION -- 8030-00-762-8007

Product ID:MANGANESE DIOXIDE DISPERSION MSDS Date:01/17/1989 FSC:8030 NIIN:00-762-8007 MSDS Number: BHDVB === Responsible Party === **Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION** Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US In fo Phone Num:818-240-2060 Emergency Phone Num:800-228-5635 Preparer's Name: JCS CAGE:8K647 === Contractor Identification === **Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION** Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:800-228-5635 CAGE:8K647

Ingred Name:MAGNESIUM CHROMATE CAS:13423-61-5 Fraction by Wt: 25% OSHA PEL:0.5 MG/M3 ACGIH TLV:0.05 MG/M3

Ingred Name:1,3-DIPHENYL GUANADI

NE CAS:102-06-7 RTECS #:MF0875000 Fraction by Wt: < 5% OSHA PEL:NE ACGIH TLV:NE

Ingred Name:MANGANESE DIOXIDE (AS MANGANESE) CAS:1313-13-9 RTECS #:OP0350000 Fraction by Wt: 40% OSHA PEL:C,5 MG/M3/1 FUME TWA ACGIH TLV:5 MG/M3 DUST/1 FUME

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:ALTHOUGH NOT DESIGNATED AS CANCER CAUSING CHEM IT IS LISTEDUNDER PROPOSITION 65 IN CA. INCLUDES ALL

. IT IS LISTEDUNDER PROPOSITION 65 IN CA. INCLUDES ALL HEXAVALENT CHROMIUM

Effects of Overexposure:EYE: STRONG IRR. POSSIBLE DAMAGE. SKIN: IRRI. ALLERGIC RASH IN SENSITIZED INDIVIDUALS. PROLONGED TO HEXAVALENT CHROMIUM COMPOUNDS OVER PEL MAY CAUSE PAINLESS PENETRATING ULCERS OF SKIN. INHAL:MAINHAZA RD OF MANGANESE IS BY BREATH OF DUST. INGEST: MANGANESE POISONING. WEAK,SLEEPY. ULCERS OF MUCOUS MEMBRANE OF NOSE/SEPTUM

\_\_\_\_\_

First Aid:EYES: FLUSH W/LUKE WARM WATER FOR 15 MIN., CONSULT PHYSICIAN. SKIN: WASH W/SOAP & WATER. IF PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTN. AND INGESTION: CONSULT A PHYSICIAN.

Flash Point:NONE Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR Unusual Fire/Explosion Hazard:NONE KNOWN

==========

Spill Release Procedures: SCOOP INTO CONTAINER. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

 Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING/ EATING. AVOID INGESTION. STORE BELOW 80 F.
Other Precautions:THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF

THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.

======= Exposure Controls/Personal Protection ==========

Ventilation:GENERAL VENTILATION Protective Gloves:SOLVENT RESISTANT GLOVES Eye Protection:SAFETY GLASSES Supplemental Safety and Health NK

Boiling Pt:B.P. Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:1.8 Evaporation Rate & amp; Reference:NA Solubility in Water:NEGLIGIBL E Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid: EASILY OXIDIZABLE MATERIALS Hazardous Decomposition Products: OXIDES OF CARBON, CHROMIUM COMPOUNDS

Waste Disposal Methods:EPA WASTE NO. D-007. DISPOSE OF SPILLAGE IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS

Disclaimer (provided with this infor

mation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.