

HERCULES INCORPORATED -- HERCULES 3502 AMINE-CURED EPOXY RESIN SYSTM --
8040-01-188-6622

=====
Product Identification
=====

Product ID:HERCULES 3502 AMINE-CURED EPOXY RESIN SYSTM

MSDS Date:11/29/1985

FSC:8040

NIIN:01-188-6622

MSDS Number: BHFGX

=== Responsible Party ===

Company Name:HERCULES INCORPORATED

Address:HERCULES PLAZA

City:WILMINGTON

State:DE

ZIP:19894

Country:US

Info Phone Num:(302) 594

-5000

Emergency Phone Num:(302) 594-5000

CAGE:2D295

=== Contractor Identification ===

Company Name:HERCULES INCORPORATED

Address:84 5TH AVE

City:NEW YORK

State:NY

ZIP:10011-7603

Country:US

CAGE:2D295

=====
Composition/Information on Ingredients
=====

Ingred Name:UNCURED MULTIFUNCTIONAL EPOXY RESINS, AND AN AROMATIC,
DIAMINO CURING AGENT.

Fraction by Wt: 100%

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES

Ingestion:NO

Effects of Overexposure:EYES: MAY CAUSE EYE IRRITATION.

SKIN: MAY CAUSE MINOR SKIN
IRRITATION OR ALLERGIC SKIN REACTION.

=====
First Aid Measures
=====

First Aid:EYES:IMMEDIATELY FLUSH W/PLENTY OF WTR FOR 15 MINS,REMOVE CONTACT LENSES.CALL A PHYSICIAN.SKIN:FLUSH W/RUNNING WTR.REMOVE CONTAMINATED CLOTHING.WASH CLOTHING BEFORE RE-USE.DISCARD CONTAMINATED LEATHER ARTICLES.INHALATION:REMOVE TO FRESH AIR TREAT

SYMPTOMATICALLY,CALL A PHYSICIAN.INGESTION:CONSCIOUS-DRINK LG AMOUNTS OF WTR,INDUCE VOMITG,CALL PHYSICIAN. UNCONSCIOUS-DO NOT GIVE LIQUIDS,INDUCE VOMITG.

=====
Fire Fighting Measures
=====

Extinguishing Media:WATER

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS OR FRESH AIR MASK.

Unusual Fire/Explosion Hazard:THIS PRODUCT CAN POLYMERIZE AND EXOTHERM.

=====
Accidental Release Measures
=====

Spill Release

Procedures:PLACE IN SEALED PLASTIC BAGS FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:THIS PRODUCT MAY REACT W/STRONG OXIDIZERS AND SHOULD NOT BE STORED NEAR SUCH MATERIALS. STORE AT OR BELOW -17.8C/0F IN SEALED CONTAINERS TO EXTEND USE

Other Precautions:PROVIDE ADEQUATE VENTILATION.

=====
Exposure Controls/Personal Protection
=====

Ventilation:PROVIDE ADEQUATE VENTILATION

Protective Gloves:IMP

RESISTANT GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYEWASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE EASILY ACCESSIBLE.

Work Hygienic Practices:DO NOT ALLOW EYE OR SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING, AND BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:POLYMERIZABLE

Spec Gravity:1.26

pH:NA

Evaporation Rate & Reference:NA

Solubility in Water

ter:NEGLIGIBLE

Appearance and Odor:AMBER COLORED CLEAR VISCOUS LIQUID; NO SIGNIFICANT
ODOR AT ROOM TEMPERATURE.

Percent Volatiles by Volume: