

HERNON MANUFACTURING INC. -- ANAEROBIC ADHESIVE 238 -- 8030-00-081-2286

=====
Product Identification
=====

Product ID:ANAEROBIC ADHESIVE 238

MSDS Date:10/01/1989

FSC:8030

NIIN:00-081-2286

MSDS Number: BHFLY

=== Responsible Party ===

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-6

49-3000

CAGE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingred Name:TERTIARY ALIPHATIC AMINE

Fraction by Wt: 1%

OSHA PEL:NOT LISTED

ACGIH TLV:NOT LISTED

Ingred Name:ORGANIC HYDROPEROXIDE

Fraction by Wt: 3%

OSHA PEL:50 PPM

ACGIH TLV:50 PPM

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE

Explanation of Carcinogenicity:NOT LISTED IN ANY OF THE ABOVE

Effects of Overexposure:MAY CAUSE SKIN IRRITATION IN SENSITIVE PERSONS

Medical Cond Aggravated by Exposure:SAME AS ABOVE

=====

=====
===== First Aid Measures =====

First Aid:EYE CONTACT: IRRIGATE IMMEDIATELY AND THOROUGHLY WITH WATER
AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:> 200 F/ > 93 C

Lower Limits:DNA

Upper Limits:DNA

Extinguishing Media:FOAM, DRY CHEMICAL, CO2

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS &
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRE
S INVOLVING
CHEMICALS

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH SPILL AWAY WITH WATER SPRAY. SMALL
SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIAL

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED SKIN CONTACT

Other Precautions:STORE BELOW 100 F.

=====
===== Exposure Controls/Personal Protection =====

Ventilatio

n:MECHANICAL RECOMMENDED
Protective Gloves:RECOMMENDED
Eye Protection:SAFETY GLASSES RECOMMENDED
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:> 300 F
Vapor Pres:< 5@ 80F
Spec Gravity:1.039 @ 80F
Solubility in Water:LOW
Appearance and Odor:PURPLE - ODOR IS MILD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Condition
s to Avoid Polymerization:POLYMERIZATION IRRITATORS

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION: OBSERVE ALL FEDERAL, STATE AND
LOCAL LAWS CONCERNING HEALTH AND POLLUTION

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be
accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.