

INTEX CHEMICAL INC -- PAINT REMOVER,8570 -- 8010-00-431-6213

===== Product Identification =====

Product ID:PAINT REMOVER,8570

MSDS Date:06/01/1986

FSC:8010

NIIN:00-431-6213

MSDS Number: BHFQG

=== Responsible Party ===

Company Name:INTEX CHEMICAL INC

Box:6648

City:GREENVILLE

State:SC

ZIP:29606

Country:US

Info Phone Num:(803) 242-6152

Emergency Phone Num:(303) 629-1123

Preparer's Name:JOHN SCOTT

CA

GE:78304

=== Contractor Identification ===

Company Name:INTEX CHEMICAL INC

Address:122 EDINBURG CT

Box:6648

City:GREENVILLE

State:SC

ZIP:29606-6648

Country:US

Phone:803-879-7100 OR 803-297-4246

CAGE:78304

===== Composition/Information on Ingredients =====

Ingred Name:AMMONIA

CAS:7664-41-7

Fraction by Wt: 5-8%

OSHA PEL:50 PPM

ACGIH TLV:25 PPM/35 STEL; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction

by Wt: 45-55%
OSHA PEL:500 PPM/C,1000; Z2
ACGIH TLV:50 PPM, A2; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 15-20%
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:SODIUM CHROMATE
CAS:7775-11-3
Fraction by Wt: 0.1-1%.
OSHA PEL:25UG
ACGIH TLV:50UG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:**
Routes
of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:POSSIBLE SKIN DAMAGE,LIVER, & CARDIO
VASCULAR DISEASE.
Effects of Overexposure:IRRITATION OF SKIN & EYES ON CONTACT.
INHALATION MAY CAUSE NAUSEA, DIZZINESS, & UNCONSCIOUSNESS.

===== First Aid Measures =====

First Aid:EYE/SKIN: FLUSH W/WTR FOR 15 MINS. WASH CLOTHING BEFORE
REUSE. INHL: REMOVE TO FRESH AIR.
INGST: DONOT INDUCE VOMITING. IF
CONSCIOUS, GIVE MILK,MILK OF MAGNESIA OR EGG WHITED BEATEN W/WTR.
OBTAIN MED ICAL ATTENTION, IF NEEDED GIVE ARTIFICALRESPIRATION.

===== Fire Fighting Measures =====

Extinguishing Media:WATER FOG, CO2, FOAM, WEAR SELF CONTAINED BREATHING
APPARATS

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH ABSORBENT MATERIAL

===== Handling and Storage

=====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP CONTAINERS CLOSED WHEN NOT IN USE. WEAR APPROPRIATE GEAR WHEN HANDLING MATERIAL AND AVOID CONTACT

Other Precautions:**MEDIAN LETHAL DOSE(LD50,LC50)SPECIES PRODUCT COMPONENTS:ORAL-LD50 DICHLOROMETHANE-RAT 2136MG/KG;SKIN-LD50 ISOPROPANOL- RABBIT 13,000MG/KG;INHL LC50(GAS,VAPOR)DICHLOROMETHANE- RAT 88,000MG/M3/30MIN;I NHL LC50(DUST,MISTS,FUMES)RAT 16,000PPM

===== Exposure Controls
/Personal Protection =====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS
Ventilation:LOCAL MAINTAIN BELOW EXHAUST
Protective Gloves:RUBBER/NEOPRENE
Eye Protection:SAFETY GLASSES
Other Protective Equipment:RUBBER BOOTS AND APRON. EMERGENCY SHOWERS
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:105F
Vapor Density:>1
Spec Gravity:1.05 1.06
pH:12.5
Solubility in Water:INSOLUBLE
Appearance and Odor:\VI
SCOUS YELLOW LIQUID WITH AMMONIA ODOR
Percent Volatiles by Volume:75-85

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ACID MATERIALS
Hazardous Decomposition Products:THERMAL DECOMP CAN RESULT IN EVOLUTION OF NITROGEN SULFUR & PHOSGENE

===== Disposal Considerations =====

Waste Disposal Methods:MATERIAL MUST BE DISPOSED OF IN APPRVD CHEMICAL DUMP OR INCINERATOR. THIS MATERIAL IS

CONSIDERED HAZARDOUS. MUST BE DISPOSED IN ACCORDANCE W/LOCAL,STATE,
& FEDERAL REG.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their
particular situation.