

FISHER SCIENTIFIC, CHEMICAL DIV. -- 03695 500 METHYL SALICYLATE -- 6505-00-753-4773

=====
Product Identification
=====

Product ID:03695 500 METHYL SALICYLATE

MSDS Date:09/02/1997

FSC:6505

NIIN:00-753-4773

MSDS Number: BHFRZ

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC, CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100 OR 201-7

96-7523

Emergency Phone Num:201-796-7100/800-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL SALICYLATE

CAS:119-36-8

RTECS #:VO4725000

Fraction by Wt: >99%

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identificatio
=====

n =====

LD50 LC50 Mixture:ORAL RAT LD50=887MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:MAY CAUSE IRRIT.SKIN:CAUSES

MODERATE IRRIT.MAY BE ABSORBED THRU SKIN IN HARMFUL AMTS.INGEST:MAY CAUSE NAU/VOMIT.MAY BE HARMFUL.SYSTEMIC EFFECTS OF EXPO INCLUDE INITIAL STIMULATION & LATER CNS DEPR ESS.INHAL:CAUSES RESP TRACT IRRIT.IRRITMAY LEAD TO CHEM PNEUMONITIS & PUL

M EDEMA.MAY CAUSE

EFFECTS SIMILAR(SIGN/SYMPT)

Explanation of Carcinogenicity:PER MSDS:NOT LISTED BY

ACGIH,IARC,NIOSH,NTP,OSHA.

Effects of Overexposure:HEATH:TO THOSE DESCRIBED FOR INGEST.MAY CAUSE

LUNG DMG.CHRONIC:MAY CAUSE LIVER & KIDNEY DMG.REPEATED EXPO MAY CAUES METABOLIC DISTRUBANCES. EYE-IRRIT.SKIN:MOD

IRRIT.INGEST:NAU/VOMIT,CNS DEPRESS,CONVUL S,RESP FAILURE,CARDIAC COLLAPSE,POSSIBLE DEATH.INHAL:RESP TRACT IRRIT,CHEM PNEUMONITIS,PULM EDEMA.

Medical Cond Aggravat

ed by Exposure:NONE SPECIFIED BY MANUFACTURER.

TARGET ORGANS:KIDNEYS,HEART,CENTRAL NERVOUS SYTEM,LIVER.

===== First Aid Measures =====

First Aid:EYE:IMMED FLUSH W/PLENTY OF WATER FOR @LEAST 15MINS,LIFT UPPER/LOWER LIDS.MED MED AID IMMED.SKIN:IMMED FLUSH W/PLENTY OF SOAP/WATER FOR @LEAST 15MINS,REMOVE CONTAM CLOTH/SHOES.IRRIT DVLPS/PERSIST GET MED AID.INGEST:CONSC/ALERT GIVE 2-4CUPFULS OF MILK/H2O.GET MED AID IMMED.INDUCE VOMIT BY GIVIN

G 1TEASPOON OF

SYRUP OF IPECAC.CALL POIS CNTRL CNTR.INHAL:REMOVE TO FRESH AIR IMMED.NOT BREATH GIVE(SUPPL)

===== Fire Fighting Measures =====

Flash Point:205F,96C

Autoignition Temp:Autoignition Temp Text:850F

Lower Limits:N/AVAI

Upper Limits:N/AVAI

Extinguishing Media:WATER OR FOAM MAY CAUE FROTHING.USE CARBON DIOXIDE OF DRY CHEMICAL.

Fire Fighting Procedures:AS IN ANY FIRE WEAR SELF-CONTAINED BREATHING APPARATUS IN PRESSURE DEMAND,MSHA/NIOSH(A

PPE (HARD HAT, SAFETY GLASSES, GLOVES, & FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: VAPORS CAN TRAVEL TO SOURCE OF IGNITION & FLASH BACK.

===== Accidental Release Measures =====

Spill Release Procedures: USE PROPER PPE AS INDICATED. WEAR SCBA & APPROPRIATE PERSONAL PROTECTION. SWEEP UP, THEN PLACE INTO SUITABLE CONTAINER FOR DISPOSAL. REMOVE ALL SOURCES OF IGNITION. ABSORB SPILL USING ABSORBENT, NON-COMBUSTIBLE MATERIAL SUCH AS EARTH, SAND, VERMICULITE.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions: GROUND/BOND CONTAINER WHEN TRANSFER MATERIAL. DON'T GET ON SKIN/EYES. DON'T INGEST/INHALE. USE WITH ADEQUATE VENTILATION. KEEP FROM CONTACT WITH OXIDIZING MATERIALS.

Other Precautions: STORE IN COOL DRY WELL-VENTILATED AREA AWAY FROM INCOMPATIBLE SUBSTANCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: FOLLOW OSHA RESPIRATORY REGULATIONS FOUND IN 29CFR1910.134. ALWAYS

USE NIOSH-APPROVED RESPIRATOR WHEN NECESSARY.

Ventilation: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP AIRBORNE CONCENTRATIONS BELOW PERMISSIBLE EXPOSURE LIMITS.

Protective Gloves: APPROPRIATE PROTECTIVE GLOVES

Eye Protection: EYEGLASSES, CHEM SAFETY GOGGLES, FACE SHIELD

Other Protective Equipment: EYE PROTECTION-29CFR1910.133. WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN EXPOSURE.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. REMOVE CONTAMINATED CLOTHING/WASH BEFORE REUSE.

Supplemental Safety and Health

1ST AID: ARTIFICIAL RESPIRATION; DIFFICULT BREATHING

EARTH GIVE OXYGEN. GET MEDICAL AID. NOTES TO DOCTOR: TREAT

SYMPTOMS/SUPPORTIVE THERAPY. ANTIDOTE: NO SPECIFIC ANTIDOTE EXISTS.

===== Physical/Chemical Properties =====

HCC: N1

Boiling Point: B.P. Text: 434F, 223C

Melt/Freeze Point: M.P/F.P Text: 16.5F, -8.6C

Decomposition Temp: Decomposition Text: N/A

Vapor Pressure: 0.1

Vapor Density: 5.24

Specific Gravity: 1.18

pH: N/A

Viscosity: N/A

Evaporation Rate & Reference: N/A

Solubility in Water: SLIGHTLY SOLUBLE

Appearance and Odor: LIQUID, COLORLESS TO YELLOW-RED COLOR, WINTERGREEN

EN

ODOR

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS,STRONG BASES

Stability Condition to Avoid:INCOMPATIBLE MATERIALS

Hazardous Decomposition Products:CARBON MONOXIDE,CARBON
DIOXIDE,SALICYCLIC ACID

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN MANNER CONSISTENT W/LOCAL, STATE
AND FEDER

AL REGULATIONS.NOT LISTED AS MATL BANNED FORM LAND DISPO

ACCORDING TO RCRA.NOT RCRA LISTED.NOT SARA SEC 313/302 CHEM.NOT CWA
CHEM.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should

seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.