

CANON U.S.A., INC. MICROGRAPHICS DIVISION -- EP-S CARTRIDGE (BLACK) HP P/N 92295A --
6850-01-261-6064

===== Product Identification =====

Product ID:EP-S CARTRIDGE (BLACK) HP P/N 92295A

MSDS Date:10/30/1987

FSC:6850

NIIN:01-261-6064

MSDS Number: BHHWC

=== Responsible Party ===

Company Name:CANON U.S.A., INC. MICROGRAPHICS DIVISION

Address:ONE CANON PLAZA

City:LAKE SUCCESS

State:NY

ZIP:11040-1113

C

Country:US

Info Phone Num:516-488-6700

Emergency Phone Num:516-488-6700

CAGE:08YZ7

=== Contractor Identification ===

Company Name:CANON USA INC

Address:ONE CANON PLZ

Box:City:NEW HYDE PARK

State:NY

ZIP:11042

Country:US

Phone:516-328-5000; 5600

CAGE:08YZ7

Company Name:HEWLETT-PACKARD CO, CORPORATE HQ

Address:3000 MINUTEMAN RD

Box:City:ANDOVER

State:MA

ZIP:01810-1032

Country:US

Phone:404-648-8754/FAX: 800-947-3299

CAGE:28480

===== Composition/Information on Ingredients =====

I

ngred Name:STYRENE-ACRYLIC COPOLYMER

CAS:25767-47-9

Fraction by Wt: 55-65%

Ingred Name:IRON OXIDE

CAS:1317-61-9

Fraction by Wt: 30-40%

Ingred Name:SALICYLIC ACID CHELATE

CAS:72869-85-3

Fraction by Wt: 1-3%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THERE ARE NO KNOWN HEALTH HAZARDS,
MUTAGENICITY, CARCINOGENICITY OR TERATOGENI
CITY.

Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR
AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHALE- REMOVE FROM EXPOSURE TO FRESH AIR. EYE- OPEN EYE AND
FLUSH WITH PLENTY OF WATER. SKIN- WASH WITH SOAP AND WATER. INGEST-
DRINK SEVERAL GLASSES OF WATER. CALL A PHYSICIAN.

=====
===== Fi
re Fighting Measures =====

Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, OR WATER.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:THIS MATERIAL, LIKE MOST ORGANIC MATERIAL
IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER
CARTON.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. KEEP FROM CONTACT WITH OXIDIZING MATERIALS.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:NONE NORMALLY REQUIRED

Eye Protection:NONE NORMALLY REQUIRED

Other Protective Equipment:NONE

Work Hygienic Practices:WASH HANDS AFTER CONTACTING MATERIAL.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:212F,100C

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.4

Evaporation Rate & Reference:NEGLIGIBLE (BUTYL ACET=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FINE POWDER WITH SLIGHT PLASTIC ODOR

Percent Volatiles by Volume:NEGLIE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OX

IDIZING AGENTS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:AS WITH ANY OTHER ORGANIC MATERIAL, DECOMPOSITION WILL PRODUCE CARBON DIOXIDE AND CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:NO SPECIAL DISPOSAL TECHNIQUE REQUIRED. INSURE COMPLIANCE WITH FEDERAL, STATE AND/OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This informat

ion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.