

CSD INC. -- TT-T-291, TYPE 3 -- 8010-00-837-7969

=====  
Product Identification  
=====

Product ID:TT-T-291, TYPE 3  
MSDS Date:09/15/1986  
FSC:8010  
NIIN:00-837-7969  
MSDS Number: BHJTB  
=== Responsible Party ===  
Company Name:CSD INC.  
Address:5 HACKBERRY LANE  
Box:687  
City:CONROE  
State:TX  
ZIP:77305  
Country:US  
Info Phone Num:409-756-1065  
Emergency Phone Num:409-756-1065  
CAGE:JO933

=== Contractor Identificat  
ion ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC  
Address:2210 HACKBERRY LN  
Box:687  
City:CONROE  
State:TX  
ZIP:77305  
Country:US  
Phone:409-756-1065  
CAGE:4N760  
Company Name:CSD INC.  
Address:5 HACKBERRY LANE  
Box:687  
City:CONROE  
State:TX  
ZIP:77305  
Country:US  
Phone:409-756-1065  
CAGE:JO933

=====  
Composition/Information on Ingredients  
=====

Ingred Name:C\*10 - C\*11 PARAFFINS, CYCLOPARAFFINS & AROMATICS  
Fraction by Wt: 100%  
Other REC Limits:NONE ESTABLISHED  
OSHA PEL:NONE EST

ABLISHED  
ACGIH TLV:NONE ESTABLISHED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION OF HIGH VAPOR  
CONCENTRATIONS MAY HAVE RESULTS RANGING FROM DIZZINESS & HEADACHES  
TO UNCONSCIOUSNESS. PROLONGED OR REPEATED LIQUID LIQUID CONTACT  
WITH THE SKIN WILL DRY & DEFAT THE SKIN LEAD ING TO IRRITATION &  
DERMATITIS.

Eff  
ects of Overexposure:INHALE:IRRITATION OF THE THROAT & HEADACHE;  
HIGH VAPOR CONCENTRATIONS MAY CAUSE NAUSEA,VOMITING,HEADACHE &  
DIZZINESS; EYE:CAUSE IRRITATION; INGEST:MAY CAUSE ABDOMINAL  
DISCOMFORT & PAIN,DIZZINESS,MALAI SE,LUMBAR PAIN,OLIGURIS,UREMIA, &  
CINTRAL NERVOUS SYSTEM DEPRESSION.  
Medical Cond Aggravated by Exposure:NONE STATED

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES; SKIN:REMOVE  
CONTAMINATED CLOTHING AND SHOES. WASH WITH SOAP AND WATER;  
INHALATION: REMOVE VICTIM TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED;  
INGESTION:IF C ONSCIOUS,INDUCE VOMITING, CALL PHYSICIANIMMEDIATELY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:128F/53.3C  
Lower Limits:0.9  
Upper Limits:6  
Extinguishing Media:USE FOAM, DRY CHEMICAL, CARBON DIOXIDE OR WATER FOG  
OR SPRAY.  
Fire Fighting Procedures:USE AIR-SUPPLIED BREATHING EQUIPMENT F  
OR  
ENCLOSED AREAS. COOL EXPOSED CONTAINERS WITH WATER SPRAY. AVOID  
BREATHING VAPORS OR FUMES.  
Unusual Fire/Explosion Hazard:NONE STATED

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SMALL SPILLS SHOULD BE FLUSHED WIWITH LARGE  
QUANTITIES OF WATER. LARGER SPILLS SHOULD BE COLLECTED FOR  
DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE

MIST FROM SPRAY. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR.  
AVOID EYE/SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED DUST/MIST RESPIRATOR IF  
TLV IS EXCEEDED.

Ventilation:SUFFICIENT MECHANICAL (GENERAL) AND/OR LOCAL EXHAUST  
VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.

Protective Gloves:RUBBER OR PLASTIC.

Eye Protection:GOGGLES OR FACE SHIELD.

Other Protective Equipment:FULL WORK CLOTHING TO PR  
EVENT REPEATED OR

PROLONGED SKIN CONTACT. EYE WASH STATION AND SAFETY SHOWER.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt.=178.9C, 354.F

Vapor Pres: