

VAN WATERS AND ROGERS INC -- METHANOL -- 6810-00-687-8056

=====
Product Identification
=====

Product ID:METHANOL

MSDS Date:04/12/1988

FSC:6810

NIIN:00-687-8056

MSDS Number: BHKCQ

=== Responsible Party ===

Company Name:VAN WATERS AND ROGERS INC

Address:2600 CAMPUS DRIVE

Box:5932

City:SAN MATEO

State:CA

ZIP:94403-2522

Country:US

Info Phone Num:LOCAL VAN WATERS & ROGERS BRANCH

Emergency Phone Num:800

-424-9300 (CHEMTREC)

CAGE:0AN91

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:VAN WATERS AND ROGERS

Address:2256 JUNCTION AVE

City:SAN JOSE

State:CA

ZIP:95131

Country:US

Phone:408-435-8700/800-424-9300(CHEMTREC)

CAGE:0AN91

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA I

II)
CAS:67-56-1
RTECS #:PC1400000
Fraction by Wt: >99%
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 5628 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALE: MILD INTOXICATION.
TOXIC EFFECTS ARE EXERTED ON THE CNS, ESPECIAL
LY THE OPTIC NERVE.
EYE: LIQUID AND MISTS WILL IRRITATE AND MAY BURN THE EYES. SKIN:
IRRITATION, DERMATITIS, AND SYSTEMI C CHANGES. INGEST: 100-150 ML.
MAY BE FATAL! LESSER AMOUNTS- BLINDNESS, DIZZINESS, HEADACHES, OR
NAUSEA.
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS
LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:SEE HEALTH HAZARDS. CHRONIC HAZARDS: PROLONGED
OR REPEATED EXPOSURE MAY RESULT IN CNS DAMAGE, BLINDNESS, DAMA
GE TO
PANCREAS, OR DEATH.
Medical Cond Aggravated by Exposure:NONE REPORTED.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. MAINTAIN BREATHING
AND GET DR. EYE: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET
IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. REMOVE
CONTAMIN ATED CLOTHING. SEE DR. IF IRRITAION PERSISTS. INGESTION:
IMMEDIATELY INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

=

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:52.0F,11.1C
Lower Limits:6
Upper Limits:36.5
Extinguishing Media:USE CARBON DIOXIDE, ALCOHOL FOAM, DRY CHEMICAL, OR
WATER SPRAY. DO NOT USE A DIRECT WATER STREAM.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:EXTIN

GUISH ALL NEARBY SOURCES OF
IGNITION. THIS PRODUCT MAY BURN WITH A FLAME WHICH IS INVISIBLE IN
DAYLIGHT. MIXTURES WITH WATER AND 21% METHANOL ARE FLAMMABLE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. EXTINGUISH ALL
IGNITION SOURCES. ABSORB WITH NON-COMBUSTIBLE SORBENT MATERIAL, AND
PLACE IN APPROVED CONTAINERS. KEEP OUT OF SEWERS, STORM DRAINS AND
SURFACE WATER.

Neutralizing Agent:NONE APPLICABLE FO
R THIS MATERIAL

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT AND IGNITION SOURCES. KEEP
CONTAINERS CLOSED.

Other Precautions:CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, WILL
RETAIN PRODUCT RESIDUE AND VAPORS. ALWAYS OBEY HAZARD WARNINGS AND
HANDLE EMPTY CONTAINERS AS IF THEY WERE FULL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION
EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS
PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND
NIOSH-RESPIRATOR SELECTION.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS REQUIRED. LOCAL EXHAUST
MAY BE REQUIRED IF WORK AREA IS NOT VENTED.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL SAFETY GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT
AS

REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED
CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:148F,64C

Melt/Freeze Pt:M.P/F.P Text:-144F,-98C

Vapor Pres:96

Vapor Density:1.1

Spec Gravity:0.79

Evaporation Rate & Reference:>2 (BUTYL ACETATE=1)

Solubility in Water:100

App

Appearance and Odor:COLORLESS LIQUID, MILD ALCOHOL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, ALUMINUM, ZINC, ANY METAL THAT DISPLACES HYDROGEN, CERTAIN PLASTICS, RUBBERS, ACIDS, ALKALIS.

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, FORMALDEHYDE AND UNIDENTIFIED ORGANIC COMPOUNDS IN BLACK SMOKE.

=====

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. NOTE: EMPTY CONTAINERS CAN HAVE RESIDUES, GASES AND MISTS AND ARE SUBJECT TO PROPER WASTE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.