

EXPANDED RUBBER AND PLASTIC COR -- STAFOAM AA 1802, COMPONENT R -- 9330-01-121-7101  
===== Product Identification =====

Product ID:STAFOAM AA 1802, COMPONENT R  
MSDS Date:03/09/1990  
FSC:9330  
NIIN:01-121-7101  
Kit Part:Y  
MSDS Number: BHKMD  
=== Responsible Party ===  
Company Name:EXPANDED RUBBER AND PLASTIC COR  
Address:14000 SOUTH WESTERN AVENUE  
City:GARDENA,  
State:CA  
ZIP:90249-3008  
Country:US  
Info Phone Num:213-324-6692  
Emergency Phone Num:213-324-6692 OR 213-321-4260  
CAGE:25598

=== Contractor Identification ===  
Company Name:EXPANDED RUBBER AND PLASTIC CORP  
Address:14000 S WESTERN AVE  
Box:City:GARDENA  
State:CA  
ZIP:90249-3008  
Country:US  
Phone:310-321-4260  
CAGE:25598

===== Composition/Information on Ingredients =====

Ingred Name:POLYESTER RESIN BLEND  
Fraction by Wt: 200F,>93C  
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:OXIDES OF CARBON,NITROGEN,PHOSPHORUS.HCL WILL BE GENERATED.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISP

OSAL IN AN APPROVED CONTAINER.  
Neutralizing Agent:NOT APPLICABLE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA.(BELOW 120F) KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NORMALLY NOT NEEDED;USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.DO NOT EAT,DRINK AND SMOKE IN WORK AREA.

=====  
Physical/Chemical Properties  
=====

HCC:N1

Boiling Pt:B.P. Text:DECOMPOSES

Vapor Pres:NIL

Spec Gravity:1.1

Solubility in Water:SOLUBLE

Appearance and Odor:LIGHT BROWN VISCOUS LIQUID,MILD ODOR

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS,ISOCYANATES,ACIDS

Stability Condition to Avoid:HIGH TEMPERATURES, ABOVE 120 F

Hazardous Decomposition Products:OXIDES OF CARBON,NITROGEN,PHOSPHORUS AND HCL

=====  
Disposal Considerations  
=====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES.DISPOSAL MUST BE MADE

IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.