

AMERICAN WRITING INK CO, INC. -- NUMBERING MACHINE INK -- 7510-00-161-4260

=====
Product Identification
=====

Product ID:NUMBERING MACHINE INK

MSDS Date:08/27/1986

FSC:7510

NIIN:00-161-4260

MSDS Number: BHLSQ

=== Responsible Party ===

Company Name:AMERICAN WRITING INK CO, INC.

Address:33 FARNSWORTH ST

City:BOSTON

State:MA

ZIP:02210

Info Phone Num:(617) 482-9167

Emergency Phone Num:(617) 482-9167

C

AGE:DO030

=== Contractor Identification ===

Company Name:AMERICAN WRITING INK CO.

Address:33 FARNSWORTH ST

City:BOSTON

State:MA

ZIP:02210

Phone:617-762-0026

CAGE:DO030

=====
Composition/Information on Ingredients
=====

Ingred Name:THREE OILS USED IN THIS INK AREN'T DEFINED AS "HAZARDOUS MATERIAL".

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: NON-IRRITATING. SKIN: MILD IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN: MILD IRRITATION & INFLAMMATION.

Medical Cond Aggravated by Exposure:SKIN DISORDERS

=====
First Aid Measures
=====

First Aid:EYE: FLUSH WITH WATER. SKIN: WASH WITH SOAP & WATER.

INGESTION: GIVE LARGE QUANTITIES OF WATER & INDUCE VOMITING.

=====
Fire Fighting Measures
=====

Flash Point Method:CC

Flash Point:305F

Extinguishing Media:DRY CHEMICAL, CO2

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:USE WATERSPRAY TO COOL FIRE-EXPOSED AREAS. FOAM & WATER FOG MAY CAUSE FROTHING.

===== Accidental Release Measures =====

Spill Release Procedures:ADD ABSORBENT & SCOOP INTO DISPOSAL CONTAINER. WASH OR STEAM-CLEAN AREA. SAWDUST TO AVOID SLIPPING HAZARD.

===

===== Handling and Storage =====

Handling and Storage Precautions:DON'T ALLOW CONTAMINATION BY WATER. KEEP CONTAINER CLOSED WHEN NOT IN USE. DON'T TAKE INTERNALLY.

Other Precautions:AVOID GETTING ON HANDS OR CLOTHING BECAUSE OILY INK WILL TRANSFER TO EVERYTHING. AVOID HEAT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL PROTECTION NEEDED.

Ventilation:USE W/ADEQUATE VENTILATION

Protective Gloves:USE FOR CLEANLINESS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE BATH

Work Hygienic Practices:THIS PRODUCT IS ONLY INK THAT SPREADS EASILY. USE WITH CARE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:450F

Melt/Freeze Pt:M.P/F.P Text:-25F

Vapor Pres:0.1

Spec Gravity:0.90

Solubility in Water:INSOLUBLE

Appearance and Odor:OILY LIQUID; OIL ODOR.

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES
OILS WILL SWELL RUBBER & SOFTEN PLASTIC. STRONG ACIDS, ALKALIES &
OXIDIZE.

Stability Condition to Avoid: HEAT & OPEN FLAME.

Hazardous Decomposition Products: CO₂

===== Disposal Considerations =====

Waste Disposal Methods: LANDFILL OR INCINERATE IN ACCORDANCE WITH STATE,
LOCAL & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.