View NSN Online: https://aerobasegroup.de/nsn/8030-00-054-1686

BURRIS CHEMICAL, INC. -- FLAME RETARDANT X-12 -- 8030-00-054-1686

Product ID: FLAME RETARDANT X-12 MSDS Date:11/25/1985 FSC:8030 NIIN:00-054-1686 **MSDS Number: BHMBX** === Responsible Party === Company Name: BURRIS CHEMICAL, INC. Box:70788 City:CHARLESTON State:SC ZIP:29415 Country:US Info Phone Num:803-577-9120 Emergency Phone Num:803-577-9120 Preparer's Name: J. D. H ONEYCUTT CAGE: JO899 === Contractor Identification === Company Name: BURRIS CHEMICAL CO INC Address:4200 AZALEA DR Box:City:CHARLESTON State:SC ZIP:29415 Country:US Phone:803-744-7421 CAGE:06746 Company Name: BURRIS CHEMICAL, INC. Box:70788 City:CHARLESTON State:SC ZIP:29415 Country:US Phone:803-577-9120 CAGE: JO899

Ingred Name:BORIC ACID CAS:10043-35-3 RTECS #:ED4550000 Fraction by Wt: 20% ACGIH TLV:10 MG/M3

Ingred Name: PROPRIE

TARY INGREDIENTS (NUISANCE DUST) Fraction by Wt: 80%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TOXIC IF SWALLOWED. INGESTION MAY

CAUSE ABDOMINAL PAIN AND VOMITING. EYE IRRITATION, RESPIRATORY IRRITATION.

Explanation of Carcinogenicity:DUISANCE DUST 10 MG/M3

Effects of Overexposure:SKIN: MILD IRRI. TOXIC IF SWALLOWED. I

NGESTION

MAY CAUSE ABDOMINAL PAIN AND VOMITING. EYE IRRITATION, RESPIRATORY IRRITATION.

Medical Cond Aggravated by Exposure: KIDNEY, LIVER DESEASES, NERVE DISORDERS & PRE-EXISTING RESPIRATORY DISEASES

First Aid:INHAL: REMOVE TO FRESH AIR. GIVE CPR IF NECESSARY. SEEK MED ATTN. EYE: FLUSH WITH LARGE AMTS OF WTR, LIFTING LIDS OCCASIONALLY. IF IRRI PERSIST, GET MED ATTN. SKIN: WASH WITH SOAP & WATER. IF IRR

I PER SISTS. GET MED ATTN. INGES: INDUCE VOMITIMMED, BY GIVE 2 GLASSES OF WATER & STICKING FINGER DOWN THROAT. CALL PHYSICIAN

Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:WATER, CO2, FOAM Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING Unusual Fire/Explosion Hazard:NOT FLAMMABLE, BUT MAY RELEASE AMMONIA, SULFUR OXIDES, MELAMINE AND OXIDES OF CARBO N AND NITROGEN IF INVOLVED IN A FIRE

Spill Release Procedures:SWEEP UP SPILLS AND PLACE IN WASTE DISPOSAL CONTAINER

Handling and Storage Precautions: PROTECT FROM MOISTURE Other Precautions: KEEP AWAY FROM CHILDREN.

NOTE TO PHYSICIAN: FLAME RETARDANT X-12 CONTAINS 20% BORIC ACID.

======= Exposure Controls/P

ersonal Protection =========

Respiratory Protection: A NIOSH APPROVED DUST RESPIRATOR IF ABOVE TLV Ventilation: LOCAL EXHAUST PREFERABLE Protective Gloves: IMPERMEABLE GLOVES Eye Protection: FACE SHIELD/SAFETY GLASSES Other Protective Equipment: CLEAN, FULLY PROTECTIVE WORK UNIFORM Supplemental Safety and Health NK

Boiling Pt:B.P. Text:150-225 F Vapor Pres:NA Spec Gravity:APPROX 1.7 Evaporation Rate & amp; Reference:NA Solubi lity in Water:SOLUBLE Appearance and Odor:BROWNISH-GRAY TO WHITE CRYSTALLINE SOLID Percent Volatiles by Volume:NEG

Stability Indicator/Materials to Avoid:YES
POTASSIUM CHLORATE, AND ACETIC ANHYDRIDE. POTASSIUM NITRATE, SODIUM NITRITE, METAL CHLORATES, STRONG BASES, POTASSIUM
Stability Condition to Avoid:UNSTABLE ABVOE 320 F. AVOID HEATING OF SOLUTIONS IN CLOSED VESSELS. EXCESSIVE HEAT, OXIDIZERS, PEROXIDES Hazardous D
ecomposition Products:AMMOIA, SULFUR OXIDE GASSES, MELAMINE, CARBON MONOXIDE AND NITROGEN OXIDES

Waste Disposal Methods:DISPOSE OF ACCORDING TO APPLICABLE FEDERAL (RCRA),STATE AND LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.