

HERNON MANUFACTURING INC. -- PIPE SEALANT WITH TEFLON 920 -- 8030-00-204-9149

=====
Product Identification
=====

Product ID:PIPE SEALANT WITH TEFLON 920

MSDS Date:07/10/1989

FSC:8030

NIIN:00-204-9149

MSDS Number: BHMGV

=== Responsible Party ===

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Country:US

Info Phone Num:718-649-3000

Emergency Pho

ne Num:718-649-3000

CAGE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYGLYCOL DIMETHACRYLATE

Fraction by Wt: 12-17%

Ingred Name:TEFLON

CAS:

116-14-3
RTECS #:KX4025000
Fraction by Wt: 5-10%

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Fraction by Wt: 2-4%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:BIS-PHENOL AFUMARATE RESIN
Fraction by Wt: 27-32%

Ingred Name:MICA - SILICATES (< 1% CRYSTALLINE SILICA)
CAS:12001-26-2
RTECS #:VV8760000
Fraction by Wt: 2-4%
OSHA PEL:20 MPPCF
ACGIH TLV:3 MG/M3 RDUST; 9293

Ingred Name:POLYESTER PLASTISIZER
Fraction by Wt: 10-15%

Ingred Name:SILICA, CRYSTALLINE
- FUSED
CAS:60676-86-0
RTECS #:VV7328000
Fraction by Wt: 2-4%
OSHA PEL:SEE TABLE Z3
ACGIH TLV:0.1 MG/M3 RDUST;9293

Ingred Name:1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE)
(SARA III)
CAS:80-15-9
RTECS #:MX2450000
Fraction by Wt: 1-2%
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:SILICA
Fraction by Wt: 9-13%

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NA
Effec

ts of Overexposure:POSSIBLE SKIN AND EYE IRRITATION TO SENSITIVE PERSON

Medical Cond Aggravated by Exposure:SKIN IRRITATION

===== First Aid Measures =====

First Aid:EYE: WASH WITH PLENTY OF WATER FOR SEVERAL MINUTES, GET MEDICAL ATTENTION SKIN: WASH THOROUGHLY WITH SOAP AND WATER
INHALATION: REMOVE TO FRESH AIR
INGESTION : LOW TOXICITY, GET MEDICAL ATTENTION

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>200F/39C
Extinguishing Media:FOAM, DRY CHEMICAL
Fire Fighting Procedures:SCBA AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICAL
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN INERT MATERIAL. STORE IN CLOSED CONTAINER UNTIL DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 100F AND AVOID PROLONGED SKIN CONTACT

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NA
Ventilation:LOCAL EXHAUST
Protective Gloves:RUBBER OR PLASTIC GLOVES
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Work Hygienic Practices:AS REQUIRED
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:>300F
Vapor Pres: