

PRATT AND LAMBERT INC -- LACQUER C/N GLOSS GREEN 14187 ID 786430 -- 8010-00-515-1567
===== Product Identification =====

Product ID:LACQUER C/N GLOSS GREEN 14187 ID 786430
MSDS Date:12/15/1988
FSC:8010
NIIN:00-515-1567
MSDS Number: BHMQG
=== Responsible Party ===
Company Name:PRATT AND LAMBERT INC
Address:16116 E 13TH ST
Box:2153
City:WICHITA
State:KS
ZIP:67201
Country:US
Info Phone Num:316-733-13
61
Emergency Phone Num:716-873-6000 DOT EMER 8002553924
Preparer's Name:W.A. ELLISON
CAGE:61196
=== Contractor Identification ===
Company Name:PRATT AND LAMBERT INC
Box:6027
City:CLEVELAND
State:OH
ZIP:44101-1027
Country:US
Phone:216-566-2902
CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:LEAD CHROMATE
CAS:7758-97-6
OSHA PEL:.0500 MG/CU.M.
ACGIH TLV:.0500 MG/CU.M.

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
OSHA PEL:200 PPM/150 S

TEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)
CAS:8030-30-6
RTECS #:SE7555000
OSHA PEL:100 PPM

Ingred Name:ISOBUTYL ALCOHOL (SARA III)
CAS:78-83-1
RTECS #:NP9625000
OSHA PEL:100 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ISOBUTYL ACETATE (SARA III)
CAS:110-19-0
RTECS #:AI4025000
OSHA PEL:150 PPM
ACGIH TLV:150 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:DI-SEC-O
CTYL PHTHALATE (DI-2-ETHYLHEXYL-PHTHALATE) (SARA
III)
CAS:117-81-7
RTECS #:TI0350000
OSHA PEL:5 MG/M3/10 STEL
ACGIH TLV:5 MG/M3; 9192
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:NITROCELLULOSE
CAS:9004-70-0
RTECS #:QW0970000
OSHA PEL:NONE ESTABLISHED
ACGIH TLV:NONE ESTABLISHED

Ingred Name:ALIPHATIC HYDROCARBON
(VP 12 MM HG @ 20 DEG. C)
CAS

:64742-89-8

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:VOC. ORGANIC CMPD 5.6 LB/GAL LESS WATER & NPRS* 672 G/L
LESSWATER VOC. 22.9 LB/GAL SOLIDS 2748 G/L SOLIDS CALCULATED
RTECS #:9999999VO

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ASPIRATION OF MATL INTO LUNG MAY CAUSE
CHEMICAL PNEU
MONITIS WHICH CAN BE FATAL. PROLONGED/REPEATED
OVEREXPOSURE TO SOLVENTS MAY CAUSE PERMANENT BRAIN & NERVOUS SYSTEM
DAMAGE.INTENTIONAL MISUSE MAY BE HARMFUL OR FATAL. HIGH
CONCENTRATION MAYCAUSE ACUTE CENTRAL NERVOUS SYSTEM DEPRESSION.
Effects of Overexposure:INGST: MAY CAUSE GASTROINTESTINAL
IRRITATION,NAUSEA,VOMITING. INHAL: MAY CAUSE NOSE,THROAT
IRRITATION, HEADACHES,DIZZINESS, NAUSEA, CONFUSION.
EYES: MAY CAUSE IRRITATION.SKIN: IRRITATION AND DEFATTING OF
SKIN.

===== First Aid Measures =====

First Aid:INGST: DO NOT INDUCE VOMITING, CALL A PHYSICIAN IMMEDIATELY
INHAL: REMOVE TO FRESH AIR IMMEDIATELY,GIVE
ARTIFICIAL RESP. IF NECESSARY,KEEP WARM/QUIET, GET MEDICAL
ATTENTION IMMEDIATELY.; EYES:FLUSH W/LG AMTS WTR,LIFTINGEYELIDS
FOR 15 MINS.,GET MEDICAL ATTENTION.; SKIN: REMOVE CONTAMINATED
CLOTHING WASH AFFECTED AREA W/SOAP & WATER, GET MEDICAL ATTENTION
IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point:20F/-6.67C
Extinguishing Media:NFPA CLASS B FIRE EXTINGUISHERS (CARBON DIOXIDE,
ALL PURPOSEDRY CHEM OR ALCOHOL FOAM).USE POLYMER FOAM FOR LARGE
FIRES.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.WATER
MAY BE INEFFECTIVE,BUT MAY BE USED TO COOL EXPOSED CONTAINERS. IF
WATER IS USED,FOG NOZZLES ARE PREFERABLE.
Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE
FROM

HEAT, ELECTRICAL EQUIPMENT, SPARKS AND FLAME. CLOSED
CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. DIKE &
CONTAIN SPILL W/INERT MATL. PLACE ABSORBENT DIKING MATL INCOVERED
METAL CONTAINERS FOR DISPOSAL. USE ONLY NON SPARKING TOOLS.
PREVENT CONTAMINATION OF SEWER STREAMS, & GRNDWATER W/SPILLED MATL
OR USED ABSORB

=====
= Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 95F. STORE LG QTYS
IN COMPLIANCWITH OSHA 29CFR1910.106. CLOSE CONTAINER AFTER EACH
USE. NEVER USE PRESSURE TO EMPTY.

Other Precautions:DO NOT TAKE INTERNALLY. EMPTY CONTAINERS MUST NOT BE
WASHED & REUSED FOR ANY PURPOSE. CONTAINERS SHOULD BE GROUNDED &
BONDED TO THE RECEIVING CONTAINER. DO NOT WELD, BRAZE OR CUT ON
EMPTY CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESTRICTED AREAS USE A NIOSH APPROVED CHEMICAL
CARTRIDGE RESPIRATOR. FOR SPRAYING USE A MECHANICAL
PREFILTER. CONFINED AREAS
USE A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR.

Ventilation:GENERAL DILUTION AND LOCAL EXHAUST

Protective Gloves:SOLVENT IMPERMEABLE GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYEWASH FACILITY, SAFETY SHOWER

Work Hygienic Practices:WASH HANDS AND FACE THOROUGHLY BEFORE
EATING OR
DRINKING

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:180-302F

Vapor Density:>AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:75

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS OR ALKALINE MATERIALS

Stability Condition to Avoid:EXCESSIVE HEAT AND SOURCES OF IGNITION

Hazardous Decompo

sition Products:SMOKE, CARBON MONOXIDE AND CARBON DIOXIDE.

Conditions to Avoid Polymerization:HEAT SPARKS AND FLAME

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL,STATE,LOCAL LAW INCINERATE ONLY IN EPA PERMITTED FACILITY.DO NOT INCINERATE CLOSED CONTAINERS. MAY BE DISPOSED IN AHAZARDOUS WASTE LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulate

d for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.