

PRATT & LAMBERT, INC. -- ENAMEL ALKYD GLOSS GRN 14050 ID742404 -- 8010-00-753-4549
===== Product Identification =====

Product ID:ENAMEL ALKYD GLOSS GRN 14050 ID742404

MSDS Date:03/23/1988

FSC:8010

NIIN:00-753-4549

MSDS Number: BHMTZ

=== Responsible Party ===

Company Name:PRATT & LAMBERT, INC.

Address:16116 E 13TH ST

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

Preparer's Name:W.A. ELLISON

C

AGE:FO127

=== Contractor Identification ===

Company Name:PRATT & LAMBERT, INC/BUFFALO, NY 14240

Box:22

CAGE:FO127

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:OI6180000

OSHA PEL:300 PPM/400 STEL

ACGIH TLV:300 PPM; 9192

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

OS

HA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:VOC. ORGANIC CMPD 4.1 LB/GAL LESS WATER & NPRS* 492 G/L
LESS WATER VOC. 10.7 LB/GAL SOLIDS 1284 G/L SOLIDS CALCU
RTECS #:9999999VO

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:REPORTS HAVE ASSOC PROLONG/REPEATED
OCCUP OVEREXPOSURE TO SOLVENTS W/PERMANEN
T BRAIN & NERVOUS SYSTEM
DAMAGE. INTENTIONAL MISUSE BY DELIBERTELY CONCENTRATING & INHALING
THE CONTENTS MAY BE HARMFUL OR FATAL.
Explanation of Carcinogenicity:MANUFACTURER CONCLUDES THAT THERE IS NO
SIGNIFICANT HAZARD FOR MAN.
Effects of Overexposure:SWALLOW: GASTROINTESTINAL IRRI, NAUSEA, VOMIT,
ASPIRATION INTO LUNG, CHEM PNEUMONITITS, CAN BE FATAL. INHAL:
NOSE/THROAT IRRI. HIGH CONCENT CAUSE ACUTE CENT NERVOUS SYS
DEPRESSION CHAR HEADACHE, DIZZ, NAUSEA & CONFUSION.
EYE: IRRI.
SKIN:DEFATTNG AND IRRITATION OF THE SKIN

=====
===== First Aid Measures =====

First Aid:SWALLOW: DO NOT INDUCE VOMIT. CALL POISON CONTROL
CENTER/HOSPITAL EMERG ROOM/PHYSICIAN IMMED. INHAL: REMOVE TO FRESH
AIR IMMED. BREATH HAS STOPPED, GIVE CPR. KEEP WARM, QUIET. GET MED
ATTN IMMED. EYE: FLUSH W/LARGE AMTS OF WATER, LIFTING LIDS OCCAS,
FOR AT LEAST 15 MIN. GET MED ATTN. SKIN: REMOVE CONTAM CLOTHES.
WASH AFFECT AREA WITH SOAP
& WATER. OBTAIN MED ATTN. IF IRRI
PERSISTS.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:> 102 F/38.89 C
Extinguishing Media:NFPA CL B FIRE EXTING (CARBON DIOXIDE, ALL PUR DRY
CHEM OR ALCOHOL FOAM) EXTING FLAMM LIQ FIRES. POLYMER FOAM
PERFERRED
Fire Fighting Procedures:SELF CONTAIN BREATH APPARATUS. WTR MAY BE
INEFFECT, USED TO COOL TO PREVENT PRESSURE
BUILD-UP/AUTO-IGNITE/EXPLOSION FROM HEAT. IF WTR USED, FOG NOZZ

LES

PREFERR

Unusual Fire/Explosion Hazard:EMERG COND OVEREXPOSURE DECOMP PRODUCTS
CAUSE HEALTH HAZARD. SYMPTOMS MAY NOT BEIMMD APPARENT. OBTAIN MED
ATTN. KEEP CONT TIGHTLY CLOSED. ISOLATE FROM HEAT, ETC

===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAY. ELIM ALL IGNITION
SOURCES. DIKE/CONTAIN W/INERT MATERIAL. TRANSFER LIQ TO COVERED
METAL CONTAIN FOR RECOVERY/DISPOSAL. USE NON-SPARK TOOLS. PREVENT
CONTAM
OF SEWERS, STREAMS GROUNDWATER WITH SPILLED MATERIAL OR USED
ABSORB

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 95 DEG F. STORE LRG
QUANTITIES IN COMPLIANCE WITH OSHA 29CFR1910.106 DO NOT TAKE
INTERNALLY. CLOSE CONTAINER AFTER EACH USE.

Other Precautions:KEEP AWAY FROM CHILDREN. DO NOT BREATHE SANDING DUST.
WASH HANDS & FACE THOROUGHLY BEFORE EATING OR DRINKING. EMPTY CONT
MUST NOT BE WASHED & RE-U
SED FOR ANY PURPOSE. CONT SHOULD BE
GROUDED/BONDED TO RECEIVING CONT. DO NOT WELD, BRAZE, ETC.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:GENERAL EXPOSURE TO ORGANIC CHEM MAY NOT REQUIRE
THE USE OF RESPIR PROTECTION IFWELL VENT AREA. RESTRICTED VENT:
NIOSH APPROVED CHEM CARTRIDGE RESPIR MAY BE REQUIRED. UNDER
SPRAYING: MECH PREFILTER. C ONFINED AREA: AIR SUPPLIED RESPIRATOR

Ventilation:GEN DILUTION & LOCAL EXHAUST VENT SUFFICIENT
VOLUME/PATTERN

KEEP CONCEN HAZARD INGRED BELOW THE LOWEST EXPOSURE LIMIT

Protective Gloves:PROLONGED USE, SOLVENT IMPERMEABLE GLOVE

Eye Protection:WEAR SAFETY SPECTACLES

Other Protective Equipment:AS REQUIRED TO PREVENT SKIN CONTACT. NOT
LIKELY TO BE NEEDED

Work Hygienic Practices:GOOD PERSONAL HYGIENE PRACTICES

Supplemental Safety and Health

THIS PRODUCT, IF DISCARDED DIRECTLY, WOULD BE CLASSIFIED A HAZARDOUS
WASTE BASEDON ITS IGNITABILITY CHAR. THIS PRODUCT CONTAINS LEAD,
WHIC

H, IF PRESENT IN WASTE AT 5.0 MG/L OR MORE AFTER BEING EXTRACTED, IS CONSIDERED EP TOXIC, AND THEREFORE A HAZARDOUS WASTE UNDER RCRA REGULATIONS. HAZARD WASTE NO. D008

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 280-388 F
Vapor Density: > AIR
Evaporation Rate & Reference: SLOWER THAN ETHER
Percent Volatiles by Volume: 62

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
AVOID EXCESSIVE HEAT & SOURCES OF IGNITION. STRONG ACIDS OR ALKALINE MATERIALS
Stability Condition to Avoid: NORMALLY STABLE
Hazardous Decomposition Products: BURNING, INCLUDE WHEN HEATED BY WELD/CUTTING, PRODUCES SMOKE CARBON MONOXIDE/DIOXIDE. OXIDES OF LEAD CAN BE GENERATED
Conditions to Avoid Polymerization: KEEP AWAY FROM HEAT SPARKS AND FLAME

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF ACCORD TO FEDERAL, STATE & LOCAL LAWS. INCINERATE ONLY
EPA PERMITTED FACILITY. DO NOT INCINERATE CLOSELY CONTAINED. OBSERVE PRECAUTIONS FOR FLAMMABLE DISPOSAL. CONTAMINANT ABSORBENT DISPOSAL IN HAZARDOUS WASTE LANDFILL. IN ACCORD WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.