

THE TEXACONE CO. INC. -- EASE OFF 990 -- 8030-00-784-3475

===== Product Identification =====

Product ID:EASE OFF 990
MSDS Date:09/28/1987
FSC:8030
NIIN:00-784-3475
MSDS Number: BHMVY
=== Responsible Party ===
Company Name:THE TEXACONE CO. INC.
Address:4111 FORNEY ROAD
City:MESQUITE
State:TX
ZIP:75149
Country:US
Info Phone Num:214-288-4404
Emergency Phone Num:214-363-1891 OR 214-381-7032
Preparer'
s Name:JOHN H. WHEELER
CAGE:DO694
=== Contractor Identification ===
Company Name:TEXACONE CO THE
Address:4111 FORNEY RD
Box:City:MESQUITE
State:TX
ZIP:75149-2722
Country:US
Phone:800-235-2727
CAGE:87889
Company Name:THE TEXACONE CO. INC.
Address:4111 FORNEY ROAD
City:MESQUITE
State:TX
ZIP:75149
Phone:214-288-4404
CAGE:DO694

===== Composition/Information on Ingredients =====

Ingred Name:RED LEAD
CAS:1314-41-6
Fraction by Wt: 19.0%
OSHA PEL:0.05 MG/M3
ACGIH TLV:0.15 MG/M3

Ingr

ed Name:DIBUTYL PHTHALATE (SARA III)
CAS:84-74-2
RTECS #:TI0875000
Fraction by Wt: 3.5%
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:MOLYBDENUM DISULFIDE
CAS:1317-33-5
RTECS #:QA4697000
Fraction by Wt: 25.4%
OSHA PEL:10 MG/M3 TDUST (MO)
ACGIH TLV:10 MG/M3 (MO); 8990

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health

h Hazards Acute and Chronic:ACUTE: ENCEPHALOPATHY DEVELOPS QUICKLY
TO SEIZURES, COMA & DEATH. CHRONIC: SEVERE DAMAGES TO BLOOD
FORMING, NERVOUS, URINARY AND REPRODUCTIVE SYSTEMS

Effects of Overexposure:LOSS OF APETITE, METALLIC TASTE IN MOUTH,
ANXIETY, CONSTIPATION, NAUSEA, PALLOR,INSOMMIA, HEADACHE, ABDOMINAL
PAIN.

Medical Cond Aggravated by Exposure:TARGET ORGANS: GASTROINTESTINAL,
CENTRAL NERVOUS SYSTEM, KIDNEYS, BLOOD, GINGIVAL TISSUE

=====
===== First Aid Measures =====

First Aid:EYE: IRRIGATE IMMEDIATELY. SKIN: SOAP FLESH PROMPLY. BREATH:
ARTIFICAL RESPIRATION. SWALLOWED: WATER, VOMIT. REPORT TO PHYSICIAN
FOR HEAVY METAL POISONING

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:196 F 91 C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2 OR DRY CHEMICAL
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release

Measures =====

Spill Release Procedures:TREAT AS IF AN OIL SPILL. KEEP AWAY FROM FLAMES.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL REQUIREMENTS-INDEFINITE SHELF LIFE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROPRIATE RESPIRATORY PROTECTION MAY BE REQUIRED

Ventilation:LOCAL EXHAUST, VENTED FAN

Protective Gloves:NO

Eye Protection:NO

Other Protective Equipment:NO

Work Hygienic Practices:NO SPECIAL PRACTICES UNLESS EXPOSURE TO LEAD ABOVE PEL

Supplemental Safety and Health NK

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:> 125 F

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.67

Evaporation Rate & Reference:NA

Solubility in Water:NO

Appearance and Odor:BROWN PASTE, PAINT-LIKE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, HYDROGEN PEROXIDE, ACTIVE METALS (SODIUM POTASSIUM)

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CO, CO2 AND HEAVY METAL OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:SECURE LAND BURIAL OR INCINERATED

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

nt

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.